SAN DIEGO UNIFIED PORT DISTRICT PURCHASE AGREEMENT for

9 VEHICLES, (SUV, DUMP, REFUSE, CREW CAB, STAKE BED AND UTILITY TRUCKS)

Purchase Order No. 450002271 Purchase Agreement No. 137-2019MG

The parties to this Agreement are the SAN DIEGO UNIIFIED PORT DISTRICT, a public corporation (District) and, 72 HOUR LLC DBA NATIONAL AUTO FLEET GROUP, a California Limited Liability Company (Vendor). **Reference Sourcewell Cooperative Agreements Number 081716-NAF and Number 120716-NAF.**

The parties agree:

1. **SPECIFICATIONS**:

- (a) Specifications are attached as Attachment A, Specifications, and Vendor understands the meaning, intent and requirements contained therein.
- (b) Vendor agrees to furnish the Vehicles to the District by the delivery date specified in strict conformity with the specifications therefore, for the prices quoted and in accordance with conditions herein.

2. RECEIPT OF GOODS:

The goods will be deemed received by District when delivered to District at 1400 Tidelands Avenue, National City, CA 91950, which shall hereinafter be referred to as the "Place of Delivery" and in conformance to Attachment B, Vehicle and Equipment Delivery Instructions.

3. RIGHT OF INSPECTION:

District will have the right to inspect and accept or reject the goods when received at the Place of Delivery, and the right, within ten (10) business days after receipt, to give notice to Vendor of any claim for damages on account of the condition, quality, or grade of the goods. The District retains the right to inspect and accept or reject any goods to be delivered to a bailee, as if such were delivered to the District itself, and in such instance, Vendor will tender to District a valid and adequate negotiable document of title covering the goods or written acknowledgement from the bailee of the District's right to possession of the goods. Any attempt by District to correct any of the goods delivered in a defective or non-working condition will not constitute an acceptance of such goods where such efforts are commercially reasonable in extent and cost, and District may subsequently revoke its acceptance and reject the goods where the attempt to correct such defect has proved unsuccessful.

4. **REJECTED GOODS:**

On receipt of notification of rejection of goods, Vendor will immediately arrange to receive back the rejected goods at Vendor's expense, and [Parties to initial clause below]:

K		Ship conforming goods within ten (10) business days of notice of
Vendor	District	rejection, unless District notifies Vendor to forego such shipment in its notification of rejection of goods.

5. RISK OF LOSS:

The risk of loss from any casualty to the goods, regardless of the cause, will be on Vendor up to the time of receipt of the goods by District at the Place of Delivery, but only after any proper inspection has been completed without rejection of the goods. Thereafter, such risk will be on District, including any goods thereafter returned to Vendor until their receipt by Vendor.

6. TRADE NAMES:

Certain materials may be designated in the specifications by a trade name or the name of a manufacturer. Materials which are "an equal" item of equal quality and the required characteristics for the purpose intended will be permitted.

7. **DELIVERY:**

- (a) Delivery shall be made within the time set forth on the Purchase Order. **Time is of the essence as to delivery.**
- (b) Vendor shall not be held liable for failure to make delivery because of strikes, conscription of property, governmental regulations, acts of God or any other causes beyond control of vendor, provided a written extension of time to make delivery is obtained from the Executive Director of District or authorized designee.

8. FIRM PRICES:

Prices quoted shall be firm.

9. **ROYALTIES AND PATENTS:**

To the extent that District directs that the work be accomplished pursuant to certain specifications, processes, devises, designs or products ("Requirements"), District agrees to hold Vendor forever harmless from all suits or claims for infringement which arise out of the inclusion of such Requirements in the work.

10. **TAXES:**

District shall furnish Exemption Certificates for Federal Excise Tax. District shall pay the State, City and County Sales Taxes. However, sales tax is to be added by the Vendor to the net amount invoiced.

11. ASSIGNMENT:

No assignment by either party of any rights, including rights to moneys due or to become due under this Agreement, or delegation of any duties under this Agreement or under any orders subject to this Agreement, will be binding upon the other party until its written consent has been obtained.

12. CALIFORNIA LAW:

The validity, construction, and interpretation of this Agreement shall be governed by the laws of the State of California.

13. PAYMENT:

Payment for the materials shall be made for materials which shall be due and payable only upon acceptance by the District after the materials have been delivered and inspected and tested for compliance with the specifications

14. ANTITRUST CLAIMS:

These provisions are included in this Agreement as required by California Government Code Section 4550 et seq: Vendor offers and agrees it will assign to the District all rights, title, and interest in and to all causes of action it may have under Section 4 of the Clayton Act (15 U.S.C. Sec. 15) or under the Cartwright Act (Chapter 2 (commencing with Section 16700) of Part 2 of Division 7 of the Business and Professions Code), arising from purchase of goods, materials or services by the Vendor for sale to the District. Such assignment shall be made and become effective at the time the District tenders final payment to the vendor, without further acknowledgment by the parties.

15. VENDOR'S WARRANTIES:

In addition to any manufacturer's warranties associated or provided with the goods, copies of which shall be delivered by Vendor with the goods and their incorporation herein shall be deemed made by this reference, without attachment, as though fully set forth herein, Vendor expressly warrants that the goods are fit for the purpose to which Buyer desires the goods to be used (new and unused goods).

Furthermore, the parties intend that the provisions of Division 2 of the California Uniform Commercial Code ("CUCC") will apply to this Section, except where this Agreement may expressly provide otherwise, and thereby Vendor intends all implied warranties there under, without limitation by reference herein, to apply to this Agreement, including, but not limited to: (i) a warranty that the goods are now free, and at the time of delivery will be free, from any security interest or other lien or encumbrance, (ii) a warranty that at the time of signing the Agreement, Vendor neither knows, nor has reason to know, of the existence of any outstanding title or claim of title hostile to the rights of Vendor in the goods, (iii) a warranty that the goods are of merchantable quality, and (iv) a warranty that the goods are fit for the purpose to which Buyer desires the goods to be used.

16. **INDEMNIFICATION:**

Vendor agrees to indemnify, defend and hold harmless District, its officers, agents, and employees, from and against any and all claims, liabilities, damages, demands, losses, costs, and expenses including reasonable attorney's fees arising directly or indirectly out of the obligations of this Agreement, except claims arising through the sole negligence or willful misconduct of the District.

17. **COMPLIANCE WITH LAWS:**

The Parties will comply with all applicable governmental laws, regulations, orders, and other rules of duly constituted authorities.

18. **TERMINATION:**

The District also reserves the right, at any time prior to delivery and acceptance of the goods and after delivery of written notice to Vendor at the above address or fax number, to terminate this Agreement, with or without cause, even though there has not been any act or omission sufficient to constitute an anticipated or actual breach of the Agreement or of any implied warranty. In the event that Vendor's work is terminated or canceled by the District for any reason, vendor will be entitled to payment for materials and/or labor approved and accepted by the District (Including materials specifically manufactured) at the date of its termination. Vendor shall also be entitled to all amounts earned and payable to the date of such termination for any unavoidable cancellation or restocking charges for material orders.

19. **NOTICES:**

All notices and other communications required or authorized under this Agreement will be given in writing by: (i) personal delivery, (ii) registered mail or overnight express delivery service or (iii) email. Each party will advise the other promptly of any change in its address. It is an express condition of this Agreement that this Agreement shall not be complete or effective until signed by the Executive Director or designee on behalf of the District.

VENDOR:

	ATIONAL AUTO FLEET GROUP		
Vendor's Legal Entity	Listing (DBA, etc)		
Jesse Cooper	Sep 27, 2019		
Vendor's Signature	Date		
Jesse Cooper	National Fleet Manager		
Signatory's Printed Na	me Title		
SAN DIEGO UNIFIED	PORT DISTRICT:		
Cid Tesoro	Assistant Vice President, Infrastructure		
Printed Name	Title		
Signature	Date		
APPROVED AS TO FORM AND LEGALITY:			
General Counsel			
Bv: Assistant/Deputy	Date		

A manually signed copy of this Agreement transmitted by email or any other means of electronic transmission shall be deemed to have the same legal effect as delivery of an original signed copy of this Agreement.

ATTACHMENT A **PRICES & SPECIFICATIONS** San Diego Unified Port District

VEHICLE #1 Ten Yard Dump Truck

National Auto Fleet Group

490 Auto Center Drive, Watsonville, CA 95076 [855] 289-6572 • [855] BUY-NJPA • [831] 480-8497 Fax Fleet@NationalAutoFleetGroup.com

7/22/2019

Ouote ID 8494 R1

Mr. David Bohn

Unified Port of San Diego Procurement Analyst 11, Procurement Services 1400 Tidelands Ave. National City, CA 91950

Dear David Bohn,

National Auto Fleet Group is pleased to quote the following vehicle(s) for your consideration. One (1) New/Unused (2020 Freightliner 108 SD Three Axle Chassis with 15' Dump Body,) Provided by Mr. Walters with Freightliner each for:

168,907.33

	One	Unit (1)
Sub Total	S	155,301.00
Tax (8.75%)	S	13,588.83
Tire Fee	\$	17.50
Total	S	168,907,33

NOTE: Payment must be made prior to MSO being released.

This vehicle(s) is available under the Sourcewell (Formerly known as NJPA) Contract Number 081716-NAF. Please reference this Contract Number on all Purchase Orders. Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call.

Sincerely,

Jesse Cooper

National Fleet Manager

jcooper@nationalautofleetgroup.com

Office (855) 289-6572 Fax (831) 480-8497



Office: 9685 Via Excelencia Suite 200, San Diego CA 92126 Phone 858-566-1155 FAX 858-566-6326 Shop: 9779 Candida Street, San Diego CA 92126

Quote

Sold To: San Diego Freightliner Date: 06-06-2019

Phone: Fax:

Ship To:

PO#:

Terms:

Contact: Dan Walters

Product/Services Port SD 10 yard

Qty		Ext. Cost
1	15' Hardox 450 eliptical dump body. Front strobe lights, HD hitch plate with premier hitch with 6 and 7 way electrical sockets, electric brake controller, back up alarm, Pull tarp, Chelsea PTO with direct mount pump, mudflaps, cab controls, auto hoist release, power highlift/air tailgate, ditch gates, dual front mounted props, wheel chocks, toolbox, strobe kit front and back, side mounted pull out ladder, side boards, cab controls with raised shifter, complete installation and painted to match cab.	

Prepared for: UNIFIED PORT OF SAN DIEGO 1400 TIDELANDS AVENUE NATIONAL CITY, CA 91950 Phone: 619-725-6098 Prepared by: Dan Walters SAN DIEGO FREIGHTLINER 6006 MIRAMAR RD. SAN DIEGO, CA 92121 Phone: 619-564-3710

A proposal for UNIFIED PORT OF SAN DIEGO

Prepared by
SAN DIEGO FREIGHTLINER
Dan Walters

Jun 06, 2019

Freightliner 108SD



Components shown may not reflect all spec'd options and are not to scale

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 1 of 26

SPECIFICATION PROPOSAL

Weight

Weight

	Description	Front	Rear	
Price Level				
	SD PRL-20D (EFF:04/30/19)			
Data Version				
	SPECPRO21 DATA RELEASE VER 005			
Vehicle Configuration	on			
	108SD CONVENTIONAL CHASSIS	6,829	3,748	
	2020 MODEL YEAR SPECIFIED			
	SET BACK AXLE - TRUCK			
	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	10	10	
	LH PRIMARY STEERING LOCATION			
General Service				
	TRUCK/TRAILER CONFIGURATION			
	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
	CONSTRUCTION SERVICE			
	GOVERNMENT BUSINESS SEGMENT			
	DIRT/SAND/ROCK COMMODITY			
	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
	MAXIMUM 8% EXPECTED GRADE			
	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
	FREIGHTLINER LEVEL I WARRANTY			
	EXPECTED FRONT AXLE(S) LOAD: 18000.0 lbs			
	EXPECTED REAR DRIVE AXLE(S) LOAD: 40000.0 lbs			

108SD 10 YARD L9 DIESEL DUMP

: 58000.0 lbs



EXPECTED GROSS VEHICLE WEIGHT CAPACITY

EXPECTED GROSS COMBINATION WEIGHT: 80000.0 lbs

06/06/2019 3:21 PM

Page 2 of 26

Description

Truck Service

END DUMP BODY
CRANEWORKS

Tractor Service

FLATBED TRAILER
SINGLE (1) TRAILER

CUM L9 370 HP @ 2000 RPM, 2100 GOV RPM, 1250 LB/FT @ 1400 RPM

Electronic Parameters

65 MPH ROAD SPEED LIMIT

CRUISE CONTROL SPEED LIMIT SAME AS ROAD

SPEED LIMIT

PTO MODE ENGINE RPM LIMIT - 700 RPM PTO MODE BRAKE OVERRIDE - SERVICE

BRAKE APPLIED

PTO RPM WITH CRUISE SET SWITCH - 700 RPM
PTO RPM WITH CRUISE RESUME SWITCH - 700
RPM

PTO MODE CANCEL VEHICLE SPEED - 5 MPH PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND

PTO MINIMUM RPM - 700

REGEN INHIBIT SPEED THRESHOLD - 5 MPH

Engine Equipment

2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION 2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)

STANDARD OIL PAN

ENGINE MOUNTED OIL CHECK AND FILL SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER DR 12V 160 AMP 28-SI QUADRAMOUNT PAD

DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE

(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES

BATTERY BOX FRAME MOUNTED STANDARD BATTERY JUMPERS

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 3 of 26

escription (Weight Front	Weight Rear	
INGLE BATTERY BOX FRAME MOUNTED LH IDE BACK OF CAB			
VIRE GROUND RETURN FOR BATTERY CABLES VITH ADDITIONAL FRAME GROUND RETURN			
ION-POLISHED BATTERY BOX COVER			
AB AUXILIARY POWER CABLE	5		
OSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED DUTBOARD DRIVER SEAT	8		
OSITIVE AND NEGATIVE POSTS FOR UMPSTART LOCATED ON FRAME NEXT TO TARTER	2		
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
LECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
-BRAKE BY JACOBS WITH LOW/OFF/HIGH RAKING DASH SWITCH, ACTIVATES STOP AMPS	80		
RH OUTBOARD UNDER STEP MOUNTED IORIZONTAL AFTERTREATMENT SYSTEM ISSEMBLY WITH RH B-PILLAR MOUNTED IERTICAL TAILPIPE	30	25	
NGINE AFTERTREATMENT DEVICE, UTOMATIC OVER THE ROAD REGENERATION IND DASH MOUNTED REGENERATION REQUEST SWITCH			
9 FOOT 06 INCH (114 INCH+0/-5.9 INCH) XHAUST SYSTEM HEIGHT			
H CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
3 GALLON DIESEL EXHAUST FLUID TANK			
00 PERCENT DIESEL EXHAUST FLUID FILL			
TANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
ION-POLISHED ALUMINUM DIESEL EXHAUST LUID TANK COVER	15	5	
H MEDIUM DUTY STANDARD DIESEL EXHAUST LUID TANK LOCATION			
TANDARD DIESEL EXHAUST FLUID TANK CAP			
LUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)			
ORTON 2-SPEED DRIVEMASTER ADVANTAGE OLAREXTREME FAN DRIVE			
UTOMATIC FAN CONTROL WITHOUT DASH WITCH, NON ENGINE MOUNTED			
	INGLE BATTERY BOX FRAME MOUNTED LH IDE BACK OF CAB //IRE GROUND RETURN FOR BATTERY CABLES //ITH ADDITIONAL FRAME GROUND RETURN ON-POLISHED BATTERY BOX COVER AB AUXILIARY POWER CABLE OSITIVE LOAD DISCONNECT WITH CAB IOUNTED CONTROL SWITCH MOUNTED UTBOARD DRIVER SEAT OSITIVE AND NEGATIVE POSTS FOR JMPSTART LOCATED ON FRAME NEXT TO TARTER UMMINS TURBOCHARGED 18.7 CFM AIR OMPRESSOR WITH INTERNAL SAFETY VALVE LECTRONIC ENGINE INTEGRAL SHUTDOWN ROTECTION SYSTEM -BRAKE BY JACOBS WITH LOW/OFF/HIGH RAKING DASH SWITCH, ACTIVATES STOP AMPS H OUTBOARD UNDER STEP MOUNTED ORIZONTAL AFTERTREATMENT SYSTEM SSEMBLY WITH RH B-PILLAR MOUNTED ERTICAL TAILPIPE NGINE AFTERTREATMENT DEVICE, UTOMATIC OVER THE ROAD REGENERATION ND DASH MOUNTED REGENERATION EQUEST SWITCH 9 FOOT 08 INCH (114 INCH+0/-5.9 INCH) XHAUST SYSTEM HEIGHT H CURVED VERTICAL TAILPIPE B-PILLAR IOUNTED ROUTED FROM STEP 3 GALLON DIESEL EXHAUST FLUID TANK DO PERCENT DIESEL EXHAUST FLUID FILL TANDARD DIESEL EXHAUST FLUID PUMP IOUNTING ON-POLISHED ALUMINUM DIESEL EXHAUST LUID TANK COVER H MEDIUM DUTY STANDARD DIESEL EXHAUST LUID TANK COVER H MEDIUM DUTY STANDARD DIESEL EXHAUST LUID TANK COVER H MEDIUM DUTY STANDARD DIESEL EXHAUST LUID TANK LOCATION TANDARD DIESEL EXHAUST FLUID TANK CAP LUMINUM AFTERTREATMENT EVICE/MUFFLER/TAILPIPE SHIELD(S) ORTON 2-SPEED DRIVEMASTER ADVANTAGE OLAREXTREME FAN DRIVE UTOMATIC FAN CONTROL WITHOUT DASH	INGLE BATTERY BOX FRAME MOUNTED LH IDE BACK OF CAB INGLE BATTERY BOX FRAME MOUNTED LH IDE BACK OF CAB INTH ADDITIONAL FRAME GROUND RETURN ON-POLISHED BATTERY BOX COVER AB AUXILIARY POWER CABLE OSITIVE LOAD DISCONNECT WITH CAB IOUNTED CONTROL SWITCH MOUNTED UTBOARD DRIVER SEAT OSITIVE AND NEGATIVE POSTS FOR UMPSTART LOCATED ON FRAME NEXT TO TARTER UMMINS TURBOCHARGED 18.7 CFM AIR OMPRESSOR WITH INTERNAL SAFETY VALVE LECTRONIC ENGINE INTEGRAL SHUTDOWN ROTECTION SYSTEM -BRAKE BY JACOBS WITH LOW/OFF/HIGH RAKING DASH SWITCH, ACTIVATES STOP AMPS -BRAKE BY JACOBS WITH LOW/OFF/HIGH RAKING DASH SWITCH, ACTIVATES STOP AMPS -BRAKE BY JACOBS WITH LOW/OFF/HIGH ROTECTION SYSTEM -BRAKE BY JACOBS WITH LOW/OFF/HIGH BOUZONTAL AFTERTREATMENT SYSTEM SSEMBLY WITH RH B-PILLAR MOUNTED ORIZONTAL AFTERTREATMENT DEVICE, UTOMATIC OVER THE ROAD REGENERATION ND DASH MOUNTED REGENERATION EQUEST SWITCH BY FOOT 06 INCH (114 INCH+0/-5.9 INCH) XHAUST SYSTEM HEIGHT H CURVED VERTICAL TAILPIPE B-PILLAR IOUNTED ROUTED FROM STEP BY GOOT 06 INCH (114 INCH+0/-5.9 INCH) XHAUST SYSTEM HEIGHT H CURVED VERTICAL TAILPIPE B-PILLAR IOUNTED ROUTED FROM STEP BY GOOT 06 INCH (114 INCH+0/-5.9 INCH) XHAUST SYSTEM HEIGHT H CURVED VERTICAL TAILPIPE B-PILLAR IOUNTED ROUTED FROM STEP BY FOOT 06 INCH (114 INCH+0/-5.9 INCH) XHAUST SYSTEM HEIGHT H CURVED VERTICAL TAILPIPE B-PILLAR IOUNTED ROUTED FROM STEP BY FOOT 06 INCH (114 INCH+0/-5.9 INCH) XHAUST SYSTEM HEIGHT H CURVED VERTICAL TAILPIPE B-PILLAR IOUNTED ROUTED FROM STEP BY FOOT 06 INCH (115 INCH+0/-5.9 INCH) XHAUST SYSTEM HEIGHT H CURVED VERTICAL TAILPIPE B-PILLAR IOUNTED ROUTED FROM STEP BY FOOT 06 INCH (115 INCH+0/-5.9 INCH) XHAUST SYSTEM INCH TO THE TURN IN	INGLE BATTERY BOX FRAME MOUNTED LH IDE BACK OF CAB JIRE GROUND RETURN FOR BATTERY CABLES JITH ADDITIONAL FRAME GROUND RETURN ON-POLISHED BATTERY BOX COVER AB AUXILIARY POWER CABLE OSITIVE LOAD DISCONNECT WITH CAB OUNTED CONTROL SWITCH MOUNTED UTBOARD DRIVER SEAT OSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO TARTER UMMINS TURBOCHARGED 18.7 CFM AIR OMPRESSOR WITH INTERNAL SAFETY VALVE LECTRONIC ENGINE INTEGRAL SHUTDOWN ROTECTION SYSTEM -BRAKE BY JACOBS WITH LOW/OFF/HIGH BRAKING DASH SWITCH, ACTIVATES STOP AMPS H OUTBOARD UNDER STEP MOUNTED ORIZONTAL AFTERTREATMENT SYSTEM SSEMBLY WITH RH B-PILLAR MOUNTED ERTICAL TAILPIPE NOBINE AFTERTREATMENT DEVICE, UTOMATIC OVER THE ROAD REGENERATION ND DASH MOUNTED REGENERATION EQUEST SWITCH FOOT 06 INCH (114 INCH+0/-5.9 INCH) XHAUST SYSTEM HEIGHT H CURVED VERTICAL TAILPIPE B-PILLAR IOUNTED ROUTED FROM STEP SALLON DIESEL EXHAUST FLUID TANK DO PERCENT DIESEL EXHAUST FLUID FILL TANDARD DIESEL EXHAUST FLUID FILL TANDARD DIESEL EXHAUST FLUID FILL TANDARD DIESEL EXHAUST FLUID TANK DO PERCENT DIESEL EXHAUST FLUID TANK COVER H MEDIUM DUTY STANDARD DIESEL EXHAUST LUID TANK COVER H MEDIUM DUTY STANDARD DIESEL EXHAUST LUID TANK LOCATION TANDARD DIESEL EXHAUST FLUID TANK CAP LUMINUM AFTERTREATMENT EVICE/MUFFLERTAILPIPE SHIELD(S) ORTON 2-SPEED DRIVEMASTER ADVANTAGE OLAREXTREME FAN DRIVE UTOMATIC FAN CONTROL WITHOUT DASH

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 4 of 26

Weight Weight Description Front Rear CUMMINS SPIN ON FUEL FILTER COMBINATION FULL FLOW/BYPASS OIL FILTER 1115 SQUARE INCH ALUMINUM RADIATOR ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES RADIATOR DRAIN VALVE ELECTRIC GRID AIR INTAKE WARMER DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH Transmission

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 -AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV

ALLISON VOCATIONAL RATING FOR CONCRETE MIXER APPLICATIONS ONLY AVAILABLE WITH 3000 PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 5 of 26

Weight Weight Description Front Rear FUEL SENSE 2.0 DISABLED - PERFORMANCE -TABLE BASED DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES VEHICLE INTERFACE WIRING CONNECTOR WITH PDM AND NO BLUNT CUTS, AT BACK OF CAB ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED CUSTOMER INSTALLED CHELSEA 280 SERIES PTO PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED TRANSMISSION PROGNOSTICS - ENABLED 2013 WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT) Front Axle and Equipment DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 210 DROP SINGLE FRONT AXLE BENDIX ADB22X-V AIR DISC FRONT BRAKES NON-ASBESTOS FRONT BRAKE LINING FRONT DISC BRAKE ROTORS FRONT BRAKE DUST SHIELDS FRONT OIL SEALS VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL STANDARD SPINDLE NUTS FOR ALL AXLES FRONT AIR DISC BRAKE INTERNAL ADJUSTERS STANDARD KING PIN BUSHINGS TRW TAS-85 POWER STEERING 40 POWER STEERING PUMP 4 QUART POWER STEERING RESERVOIR 5 OIL/AIR POWER STEERING COOLER 5 ORGANIC SAE 80/90 FRONT AXLE LUBE 108SD 10 YARD L9 DIESEL DUMP

FREIGHTLINE

06/06/2019 3:21 PM

Page 6 of 26

	Description	Weight Front	Weight Rear	
Front Suspension				
	18,000# TAPERLEAF FRONT SUSPENSION	200		
	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
	NO FRONT SUSPENSION OPTIONS			
	FRONT SHOCK ABSORBERS			
Rear Axle and Equip	oment			
	MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE		2,500	
	4.88 REAR AXLE RATIO			
	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING		40	
	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20	
	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			
	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	
	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AXLE VALVE AND (1) REAR-REAR AXLE VALVE			
	BUZZER AND BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF			
	BUZZER AND BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			
	BENDIX ADB22X AIR DISC REAR BRAKES		-50	
	NON-ASBESTOS REAR BRAKE LINING			
	STANDARD BRAKE CHAMBER LOCATION			
	REAR DISC BRAKE ROTORS			
	REAR BRAKE DUST SHIELDS		10	
	REAR OIL SEALS			
	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		20	
	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			
	ORGANIC SAE 80/90 REAR AXLE LUBE			
	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
	HENDRICKSON HAULMAAX @40,000# REAR SUSPENSION		310	
108SD 10 YARD L9 DIE	SEL DUMP		06/06/2	019 3:21 PM
				D 7 -4 00

Purchase Agreement 137-2019MG; Attachment A Requesting Department: General Services

Page 7 of 26

Weight Weight Description Front Rear HENDRICKSON HAULMAAX/ULTIMAAX - 10.50" RIDE HEIGHT 54 INCH AXLE SPACING HENDRICKSON HN, HAULMAAX AND ULTIMAAX SERIES STEEL BEAMS WITH BAR PIN FORE/AFT AND TRANSVERSE CONTROL RODS Brake System WABCO 4S/4M ABS REINFORCED NYLON, FABRIC BRAID AND WIRE **BRAID CHASSIS AIR LINES** FIBER BRAID PARKING BRAKE HOSE STANDARD BRAKE SYSTEM VALVES STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM STD U.S. FRONT BRAKE VALVE RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER AIR DRYER MOUNTED OUTBOARD ON LH RAIL STEEL AIR BRAKE RESERVOIRS, NO TRIPLE OR TORPEDO TANKS PULL CABLES ON ALL AIR RESERVOIR(S) QUICK DISCONNECT FITTING WITH TIRE 2 INFLATION KIT Trailer Connections AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND DUST COVERS PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME UPGRADED CHASSIS MULTIPLEXING UNIT Wheelbase & Frame 4775MM (188 INCH) WHEELBASE 11/32X3-1/2X10-15/16 INCH STEEL FRAME 230 -20 (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI 1/4 INCH (6.35MM) C-CHANNEL INNER FRAME 170 360 REINFORCEMENT 1775MM (70 INCH) REAR FRAME OVERHANG 108SD 10 YARD L9 DIESEL DUMP 06/06/2019 3:21 PM



Page 8 of 26

IN C/ 12 C/ RE	RAME OVERHANG RANGE: 61 INCH TO 70 ICH ALC'D BACK OF CAB TO REAR SUSP C/L (CA): 22.45 in ALCULATED EFFECTIVE BACK OF CAB TO EAR SUSPENSION C/L (CA): 119.45 in ALC'D FRAME LENGTH - OVERALL: 297.27 ALCULATED FRAME SPACE LH SIDE: 22.41 in			
12 C/ RE	22.45 in ALCULATED EFFECTIVE BACK OF CAB TO EAR SUSPENSION C/L (CA): 119.45 in ALC'D FRAME LENGTH - OVERALL: 297.27			
RE CA	EAR SUSPENSION C/L (CA): 119.45 in ALC'D FRAME LENGTH - OVERALL: 297.27			
	ALCULATED FRAME SPACE LH SIDE: 22.41 in			
C)				
C/ in	ALCULATED FRAME SPACE RH SIDE: 170.28			
	ALC'D SPACE AVAILABLE FOR DECKPLATE : 22.45 in			
SC	QUARE END OF FRAME			
FF	RONT CLOSING CROSSMEMBER			
	IGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE ROSSMEMBER	-12		
ST	TANDARD MIDSHIP #1 CROSSMEMBER(S)			
ST	TANDARD REARMOST CROSSMEMBER			
ST	TANDARD SUSPENSION CROSSMEMBER			
Chassis Equipment				
	4 INCH PAINTED STEEL SEVERE DUTY UMPER	130	-15	
LC	OOP STEP MOUNTED BELOW BUMPER	10		
FF	RONT TOW HOOKS - FRAME MOUNTED	15		
	UMPER MOUNTING FOR SINGLE LICENSE LATE			
	RADE 8 THREADED HEX HEADED FRAME ASTENERS			
LC	EVEL FRAME RAILS (+/- 1%) WHEN CHASSIS IS OADED TO FRONT AND REAR SUSPENSION ATINGS			
Fuel Tanks				
60 LF	D GALLON/227 LITER ALUMINUM FUEL TANK - H			
23	3 INCH DIAMETER FUEL TANK(S)			
FL	LAIN ALUMINUM/PAINTED STEEL UEL/HYDRAULIC TANK(S) WITH PAINTED ANDS			
FL	UEL TANK(S) FORWARD			
Pl	LAIN STEP FINISH			
FL	UEL TANK CAP(S)			

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 9 of 26

	Description	Weight Front	Weight Rear	
	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	-5		
	EQUIFLO INBOARD FUEL SYSTEM			
	NO NATURAL GAS VEHICLE FUEL TANK VENT LINE/STACK			
	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires				
	CONTINENTAL CITY SERVICE HA3 315/80R22.5 20 PLY RADIAL FRONT TIRES	100		
	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES		88	
	MICHELIN XZE2 11R22.5 14 PLY RADIAL SPARE TIRE		119	
Hubs				
	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels				
	ALCOA ULTRA ONE 89U63X 22.5X9.00 10-HUB PILOT 3.12 INSET 10-HD ALUMINUM FRONT WHEELS	-44		
	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-200	
	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC SPARE WHEEL		70	
Cab Exterior				
	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
	AIR CAB MOUNTING			
	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
	FRONT FENDERS SET-BACK AXLE			
	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		
	LH AND RH GRAB HANDLES			
	STATIONARY BLACK GRILLE			
	BLACK HOOD MOUNTED AIR INTAKE GRILLE			
	FIBERGLASS HOOD			
	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	4		

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 10 of 26

Weight Weight Description Front Rear SINGLE ELECTRIC HORN DUAL HORN SHIELDS DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME WITH (4) KEYS REAR LICENSE PLATE MOUNT END OF FRAME HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS LED AERODYNAMIC MARKER LIGHTS DAYTIME RUNNING LIGHTS TO ACTIVATE MARKER, CLEARANCE AND TAIL LIGHTS INTEGRAL LED STOP/TAIL/BACKUP LIGHTS STANDARD FRONT TURN SIGNAL LAMPS NO WORK LIGHT DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE DOOR MOUNTED MIRRORS 102 INCH EQUIPMENT WIDTH LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS STANDARD SIDE/REAR REFLECTORS ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS COMPOSITE EXTERIOR SUN VISOR 10 63X14 INCH TINTED REAR WINDOW TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S) 8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR

Cab Interior

OPAL GRAY VINYL INTERIOR MOLDED PLASTIC DOOR PANEL MOLDED PLASTIC DOOR PANEL BLACK MATS WITH SINGLE INSULATION DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 11 of 26

Description	Weight Front	Weight Rear	
FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			
CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	20		
(2) CUP HOLDERS LH AND RH DASH			
GRAY/CHARCOAL WING DASH			
SMART SWITCH EXPANSION MODULE			
5 LB. FIRE EXTINGUISHER	10		
HEATER, DEFROSTER AND AIR CONDITIONER			
STANDARD HVAC DUCTING			
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
STANDARD HEATER PLUMBING			
VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
BINARY CONTROL, R-134A			
PREMIUM INSULATION			
SOLID-STATE CIRCUIT PROTECTION AND FUSES			
12V NEGATIVE GROUND ELECTRICAL SYSTEM			
DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			
LH AND RH ELECTRIC DOOR LOCKS			
(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB CHARGER IN DASH			
TRIANGULAR REFLECTORS WITHOUT FLARES	10		
BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		
BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10	
LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
BLACK MORDURA CLOTH DRIVER SEAT COVER			
BLACK MORDURA CLOTH PASSENGER SEAT COVER			
HIGH VISIBILITY ORANGE SEAT BELTS			
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		
4-SPOKE 18 INCH (450MM) STEERING WHEEL			
DRIVER AND PASSENGER INTERIOR SUN VISORS			

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 12 of 26

Weight Weight Description Front Rear

Instruments & Controls

GRAY DRIVER INSTRUMENT PANEL

GRAY CENTER INSTRUMENT PANEL

(2) SWITCH CUTOUTS AND BLANKS IN CENTER PANEL

BLACK GAUGE BEZELS

LOW AIR PRESSURE INDICATOR LIGHT AND

AUDIBLE ALARM

2 INCH PRIMARY AND SECONDARY AIR

PRESSURE GAUGES

INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS

97 DB BACKUP ALARM

ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED

HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH

2 INCH ELECTRIC FUEL GAUGE

PROGRAMMABLE RPM CONTROL -

ELECTRONIC ENGINE

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

2 INCH TRANSMISSION OIL TEMPERATURE

GAUGE

ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY

(1) DASH MOUNTED PTO SWITCH WITH

INDICATOR LAMP

ELECTRIC ENGINE OIL PRESSURE GAUGE

OVERHEAD INSTRUMENT PANEL

AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS,

J1939

DASH MOUNTED RADIO

(2) RADIO SPEAKERS IN CAB

AM/FM ANTENNA MOUNTED ON FORWARD LH

ROOF

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

3

5

10

Page 13 of 26

Weight Weight Description Front Rear ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER STANDARD VEHICLE SPEED SENSOR ELECTRONIC 3000 RPM TACHOMETER IGNITION SWITCH CONTROLLED ENGINE STOP TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH BW TRACTOR PROTECTION VALVE TRAILER HAND CONTROL BRAKE VALVE DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS Design PAINT: ONE SOLID COLOR Color CAB COLOR A: L0006EB WHITE ELITE BC BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT POWDER WHITE (N0006EA) SPARE WHEEL/RIM (PKWHT21, TKWHT21, W, TW) STANDARD BLACK BUMPER PAINT SUNVISOR PAINTED SAME AS CAB COLOR A STANDARD E COAT/UNDERCOATING Certification / Compliance U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS Raw Performance Data

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 14 of 26

Weight Weight Description Front Rear

CALC'D FRAME LENGTH - OVERALL: 297.27 CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 119.45 in CALC'D SPACE AVAILABLE FOR DECKPLATE:

122.45 in

TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	8208 lbs	7083 lbs	15291 lbs
Total Weight ⁺	8208 lbs	7083 lbs	15291 lbs

Extended Warranty

TC4: MD MODERATE 3 YEARS/100,000 MILES / 161,000 KM EXTENDED TRUCK COVERAGE. FEX APPLIES

AXLE: FRONT/TANDEM REAR MD MODERATE 3 YEAR/200,000 MILE/322,000 KM EXTENDED AXLE COVERAGE.

TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES

(+) Weights shown are estimates only. If weight is critical, contact Customer Application Engineering.


108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 15 of 26

DIMENSIONS



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Wheelbase (545)	
Rear Frame Overhang (552)	
	NO FIFTH WHEEL
Mounting Location (577)	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)	0
Maximum Rearward Position (in)	0
Amount of Slide Travel (in)	0
Slide Increment (in)	0
Desired Slide Position (in)	
Cab Size (829)	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016)RH OUTBOARD UN	IDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY I PIPE

TABLE SUMMARY - DIMENSIONS

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 16 of 26

Dimensions	Inches	
Bumper to Back of Cab (BBC)	108.5	
Bumper to Centerline of Front Axle (BA)	42.9	
Min. Cab to Body Clearance (CB)	3.0	
Back of Cab to Centerline of Rear Axle(s) (CA)	122.4	
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	119.4	
Back of Cab Protrusions (Exhaust/Intake) (CP)	3.0	
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0	
Back of Cab Protrusions (CNG Tank)	0.0	
Back of Cab Clearance (CL)	3.0	
Back of Cab to End of Frame	192.3	
Cab Height (CH)	71.9	
Wheelbase (WB)	188.0	
Frame Overhang (OH)	69.9	
Overall Length (OAL)	300.8	
Rear Axle Spacing	54.0	
Unladen Frame Height at Centerline of Rear Axle	43.6	

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 17 of 26

SHIFT CHART



VEHICLE SPECIFICATIONS SUMMARY - SHIFT CHART

 Cab Size (829)
 108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

 Desired Cruise Speed (mph)
 65.0

 Engine (101)
 CUM L9 370 HP @ 2000 RPM, 2100 GOV RPM, 1250 LB/FT @ 1400 RPM

 RPM at Peak Torque
 1400

 Governed RPM
 2100

 Transmission (342)
 ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 18 of 26

Gear Ratio: LL	N/A
Gear Ratio: L	N/A
Gear Ratio: 1	
Gear Ratio: 2	1.86
Gear Ratio: 3	1.41
Gear Ratio: 4	1
Gear Ratio: 5	
Gear Ratio: 6	
Gear Ratio: 7	N/A
Gear Ratio: 8	N/A
Gear Ratio: 9	N/A
Gear Ratio: 10	N/A
Gear Ratio: 11	N/A
Gear Ratio: 12	N/A
Gear Ratio: 13	N/A
Gear Ratio: 14	N/A
Gear Ratio: 15	N/A
Gear Ratio: 16	N/A
Gear Ratio: 17	N/A
Gear Ratio: 18	N/A
luxiliary Transmission (352)	NO AUXILIARY TRANSMISSION
Low Gear Ratio	N/A
High Gear Ratio	N/A
ransfer Case (373)	NO TRANSFER CASE
Low Gear Ratio	
High Gear Ratio	N/A
lear Axle (420)	MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE
Number of Speeds	1
Rear Axle Gear Ratio(s)	4.88 REAR AXLE RATIO
lear Tires (094)	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES
Revolutions per Mile	493

ABLE SUMMARY - SHIFT CHART

Transmissior Gear	Transmissior Gear Ratio	Rear Axle Ratio	Overall Gear Ratio	Percent Split	RPM After Shift	MPH at Peak Torque RPM	MPH at Governed
1	3.49	4.88	17.03	N/A	800	10.0	15.0
2	1.86	4.88	9.08	87.6	1119	18.8	28.2
3	1.41	4.88	6.88	31.9	1592	24.8	37.1
4	1.00	4.88	4.88	41.0	1489	34.9	52.4
5	0.75	4.88	3.66	33.3	1575	46.6	69.8
5	0.65	4.88	3.17	15.4	1820	53.7	80.6

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 19 of 26

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 20 of 26

GVWR

VEHICLE SPECIFICATIONS SUMMARY - GVWR

Cab Size (829)	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Expected Front Axle(s) Load (lbs)	
Expected Pusher Axle(s) Load (lbs)	0.0
Expected Rear Axle(s) Load (lbs)	40000.0
Expected Tag Axle(s) Load (lbs)	
Expected GVW (lbs)	
Expected GCW (lbs)	
Front Axle (400)	DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE
Front Suspension (620)	18,000# TAPERLEAF FRONT SUSPENSION
	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
	ONE 89U63X 22.5X9.00 10-HUB PILOT 3.12 INSET 10-HD ALUMINUM FRONT WHEELS
Front Tires (093)	
Front Brakes (402)	BENDIX ADB22X-V AIR DISC FRONT BRAKES
Steering Gear (536)	TRW TAS-85 POWER STEERING
	MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE
	HENDRICKSON HAULMAAX @40,000# REAR SUSPENSION
	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
Rear Disc Wheels (505)	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS
Rear Tires (094)	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES
	BENDIX ADB22X AIR DISC REAR BRAKES
	NO PUSHER OR TAG AXLE
	NO PUSHER OR TAG SUSPENSION
	NO PUSHER OR TAG HUBS
	NO PUSHER/TAG DISC WHEELS
Pusher / Tag Tires (095)	NO PUSHER/TAG TIRES
Pusher / Tag Brakes (456)	NO PUSHER/TAG BRAKES

TABLE SUMMARY - GVWR

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 21 of 26

	Front	Rear 1	Rear 2
	Axle Component Weigh	t Ratings	
Axles	18000	20000	20000
Suspension	18000	20000	20000
Hubs	23000	26000	26000
Brakes	20000	23000	23000
Wheels	20000	29600	29600
Tires	20000	23360	23360
Power Steering	18000	NA	N/A
GAWR (per axle)	18000	20000	20000
GAWR (per axle system)	18000	33370303	40000
Expected Load (per axle system)	18000		40000
	Vehicle GVWR Sum	mary	
Calculated GVWR	58000		
Expected GVWR	58000		
	All weights displayed in	pounds	

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.





06/06/2019 3:21 PM

Page 22 of 26

FRAME RBM

VEHICLE SPECIFICATIONS SUMMARY - FRAME RBM

Wheelbase (545)	
Frame Rails (546) 11/32X3-1/2X1	10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI(548)
Yield Strength (psi)	
Section Modulus (per rail) (cu in)	
RBM (per rail) (lbf-in)	2037600
Inner Frame Reinforcement (547)	
Outer Frame Reinforcement (548)	

TABLE SUMMARY - FRAME RBM

ltem	Description / Value
Wheelbase	4775MM (188 INCH) WHEELBASE
Frame	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
Inner Frame Reinforcement	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT
Outer Frame Reninforcement	NO OUTER FRAME REINFORCEMENT
Yield Strength (psi)	120000
Section Modulus - per rail (cu. in.)	26.80
Frame RBM - per rail (lbf-in)	3217200

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 23 of 26

FRAME SIDE SPACE

VEHICLE SPECIFICATIONS SUMMARY - FRAME SIDE SPACE

Wheelbase (545)	
	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAE
WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	
Frame Side Space LH (in)	
Frame Side Space RH (in)	170.282
Battery Box (290)	BATTERY BOX FRAME MOUNTED
Left-Hand Fuel Tank (204)	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH
Left-Hand Auxiliary Fuel / Oil Tank(200)	NO LH AUXILIARY FUEL TANK
Right-Hand Fuel Tank (208)	NO RH FUEL TANK
Right-Hand Auxiliary Fuel / Oil Tank(201)	NO RH AUXILIARY FUEL TANK
Diesel Exhaust Fluid Tank(23U)	13 GALLON DIESEL EXHAUST FLUID TANK
Rear Fenders(583)	NO REAR QUARTER FENDERS
Hydraulic Tank (203)	NO HYDRAULIC OIL TANK

TABLE SUMMARY - FRAME SIDE SPACE

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 24 of 26

Dimensions (Left Side)	Inches
Max CP - Maximum value of all Cab Protrusions	3.0
Bumper to chassis zero dimension	5.5
First front axle to chassis zero dimension	37.4
Bumper to Centerline of Front Axle (BA)	42.9
Wheelbase (WB)	188.0
Frame Overhang (OH)	69.9
Overall Length (OAL)	300.8
Length of Front Tire Unladen Radius (UR)	21.6
Length of Rear Tire Unladen Radius (UR)	21.0
Length Rear Axle Spacing factor	54.0
Pusher Axle Spacing	0.0
Length of Pusher Tire Unladen Radius (UR)	0.0
Frame Space Left Side	22.4
Side Step Left Side	0.0
Exhaust Left Side	0.0
Urea Tank Left Side	13.6
Battery Box Left Side	19.3
Fuel Tank Left Side	35.0
Hydraulic Tank Left Side	0.0
Aux1 Tank Left Side	0.0
Aux2 Tank Left Side	0.0
StoreBox1 Tank Left Side	0.0
StoreBox2 Tank Left Side	0.0
Frame Step Left Side	0.0
Fender Left Side	0.0
Other1 Left Side	0.0
Other2 Left Side	0.0
Adj Left Side	0.0

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 25 of 26

Dimensions (Right Side)	Inches	
Max CP - Maximum value of all Cab Protrusions	3.0	
Bumper to chassis zero dimension	5.5	
First front axle to chassis zero dimension	37.4	
Bumper to Centerline of Front Axle (BA)	42.9	
Wheelbase (WB)	188.0	
Frame Overhang (OH)	69.9	
Overall Length (OAL)	300.8	
Length of Front Tire Unladen Radius (UR)	21.6	
Length of Rear Tire Unladen Radius (UR)	21.0	
Length Rear Axle Spacing factor	54.0	
Pusher Axle Spacing	0.0	
Length of Pusher Tire Unladen Radius (UR)	0.0	
Frame Space Right Side	170.3	
Side Step Right Side	0.0	
Exhaust Right Side	37.6	
Urea Tank Right Side	0.0	
Battery Box Right Side	0.0	
Fuel Tank Right Side	0.0	
Hydraulic Tank Right Side	0.0	
Aux1 Tank Right Side	0.0	
Aux2 Tank Right Side	0.0	
StoreBox1 Tank Right Side	0.0	
StoreBox2 Tank Right Side	0.0	
Frame Step Right Side	0.0	
Fender Right Side	0.0	
Other1 Right Side	0.0	
Other2 Right Side	0.0	
Adj Right Side	0.0	

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

108SD 10 YARD L9 DIESEL DUMP



06/06/2019 3:21 PM

Page 26 of 26

VEHICLE # 2 Refuse Mini Packer



490 Auto Center Drive, Watsonville, CA 95076 [855] 289-6572 • (855) BUY-NJPA • (831) 480-8497 Fax Fleet@NationalAutoFleetGroup.com

7/22/2019

Quote ID 8501 R2

Mr. Julio Bello

Port of San Diego 1400 Tidelands Avenue National City, CA 91950

Dear Julio Bello,

National Auto Fleet Group is pleased to quote the following vehicle(s) for your consideration.

One (1) New/Unused (2020 Isuzu NPR Cab Chassis 25,950 GVWR, White Power Windows and Door Locks and Air Conditioning with Arata Equipment Company Loadmaster Elite 8 Yard Body,) Provided by Ms. Poter with TEC Equipment each for:

	One Unit (1)	
Sub Total	S	67,817.68
Arata Equipment Quote	S	88,165.00
Tax (8.75%)	\$	13,648.48
Delivery	\$	5,720.00
CA Tire Fee	\$	10.50
Total	\$	175,361.66

This vehicle(s) is available under the <u>Sourcewell (Formerly known as NJPA) Contract</u>
<u>Number 081716-NAF</u>. Please reference this Contract Number on all Purchase Orders.

Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call.

Sincerely.

Jesse Cooper

National Fleet Manager

jcooper@nationalautofleetgroup.com

Office (855) 289-6572 - Fax (831) 480-8497









ARATA EQUIPMENT COMPANY

June 24th, 2019

Mr. Julio Bello Mr. Charles Starns Port of San Diego San Diego, California

Dear Julio and Charles:

We at Arata Equipment Company are very pleased to have the opportunity provide you with a quotation for an additional piece of equipment to be used for replacement of your current fleet during the 2020 calendar year. In this case we will be offering a Isuzu Cabover style Cab & Chassis with a Loadmaster Rear Loader body mounted on it.

Attached you will find the two different Izuzu quotations for the different GVW rated trucks. Also, you will find a Loadmaster brochure. Lastly there is a spec sheet that shows the different GVW's that are required for the different size bodies.

Since we have been talking about either a 6 yard body or potentially the larger 8 yard body I am providing you with multiple truck prices. The smaller 6 yard body would get mounted on a truck with a GVW rating of 19,500 pounds. If you go to the larger 8 yard body the GVW needs to be raised up to 21,000 pounds. Due to the fact that Isuzu does not offer a 21,000 GVW rated truck we have to jump to the next higher classification which is a 25,950 pounds GVW rated truck. So, this provides you with the opportunity if you so desire to make one additional jump and go to the 10 yard body in this would still get mounted on the 25,950 pounds GVW rated truck.

Below I will provide you with the detailed body specifications containing the options chosen that we have previously discussed.

Loadmaster Elite Rear Loader - 6 cubic yards

Charles, the Elite 6 yard body will be mounted on a new Isuzu NRR diesel powered cab & chassis. The G.V.W. rating will be 19,500. The C.A. dimension will be 85". The equipment and features that will be included with the body will be as follows;

- A. Factory installation
- B. Hot shift PTO/pump combination
- C. Halogen work lights mounted inside upper tailgate
- Strobe light mounted an upper tailgate light panel
- E. Dual front and rear strobe lights 1 pair front 1 pair rear

1655 Old County Road, San Carlos, CA 94070 (650) 508-1010 Fax: (650) 508-1011 Email: don@arata.com http://www.arata.com

Distributors For: LaBrie, Leach, Wittle, Otto Environmental (Carls), Plastic Ominium/Zam. Peerless New-Way, Pracision Loads, Whelen, Roll-Rite, Safety Vision, Stent Drive, Barker, Perkins, 3rd Eye Camera Systems

- F. 20-pound fire extinguisher and safety triangle kit
- G. Rear Backup Camera System 7" Color flat screen (if Third Eye)
- H. DuPont acrylic enamel paint white
- I. Shovel/broom rack mounted to side of body
- J. Remote Grease Zerk Ejector
- K. Remote Grease Zerk Sweep & Slide
- Side mounted storage boxes on both sides of body (space permitting on 6 yard)

The price for this complete 6 yard body F.O.B. factory will be \$86,765.00. Sales tax, licensies, and freight will be in addition. I have also attached a table for you that provides pricing for all of the different combination and potential options that you may choose with the different size body in different size GVW rating. The insured driveaway freight from Norway Michigan to your yard will be \$5,720.00. Federal Excise Tax will not apply to this size unit.

	Body and Truck Options:	Price
	Loadmaster Elite 6 yard Body	\$86,765.00
	Steel surcharge	Included
	Izuzu 19,500 pounds GVW truck.	\$49,864.94
	Combined Sub-total	\$136,629.94
	Freight	\$5,720.00
	Total	\$142,349.94
*	Loadmaster Elite 8 yard Body	\$88,165.00
	Steel surcharge	Included
	Izuzu 25,950 pounds GVW truck.	\$67,817.68
	Combined Sub-total	\$155,982.68
	Freight	\$5,720.00
	Total	\$161,702.68
	Loadmaster Elite 10 yard Body	\$89,565.00
	Steel surcharge	Included
	Izuzu 25,950 pounds GVW truck.	\$67,817.68
	Combined Sub-total	\$157,382.68
	Freight	\$5,720.00
	Total	\$163,102.68

Gentlemen, Arata Equipment Company gives you our pledge to let you once experience a smooth and business-like transaction, with excellent customer service that has become synonymous with the Arata Equipment name. If you should have any questions, concerns, or problems with any of the preceding information, please do not hesitate to call.

Don Arata






TEC ISUZU TRUCK

Ashley Porter

Copy of PORT OF SAN DIEGO (2020 FTR, MT1 152", 25,950 GVWR. White, FTR standard model specifications with power windows, power door locks, air conditioning, 6.14 final ratio, 11R22.5G tires, and 50 gallon aluminum fuel tank (THF)

Weight Distribution



Driver/Passenger Weight
Wheelbase (WB)
Cab to Axle(CA)
Body Length
Body Weight
Cab to Body (BOC)
"You must fill in body le weight calculations.

350 0 lbs 152 inches 127 inches 7.7 inches

st fill in body length and weight to enable body and payload culations

Weight (lbs.)	Front	Rear	Total
Chassis	6,527.00	3,733.00	10,260.00
Chassis Equipment	0.10	1.00	1.10
Subtotal	6,527.10	3,734.00	10.261.10
Driver/Passengers	350.00	0.00	350.00
Body/Body Equipment	0.00	0.00	0.00
Payload	0.00	0.00	0.00
Total	6,877.10	3,734.00	10,611.10
GAWR/GVWR	12,000 00	19,000.00	25,950.00
GCWP			20,000,00

Front % Front Wt.

25,950.00 lbs.

10,611.10 lbs

35% 3,734,00 lbs aining Payload Weight

15,338 90 lbs.

Chassis Equipment:

Code	Item	Center of Gravity	Front Axle	Rear	Total	
G1	White, FTR standard model specifications with power windows, power door locks, air conditioning, 6.14 final ratio, 11R22.5G tires, and 50 gallon aluminum fuel tank (THF)		0.00 lbs	0 00 lbs	0.00 lbs	
UZF	Back up alarm		0.00 lbs	1 00 lbs	1 00 lbs	
IL9	PTO enable switch and engine idle up switch recommended for PTO and idle applications only		0 10 lbs	0 00 lbs	0 10 lbs	
THE	50 Gallon Fuel Tank Capacity		0.00 lbs.	0 00 lbs	0.00 bs	
588	11R22.5 G		0.00 lbs	0.00 Rbs	0.00 lbs	
WOV	6.14		0.00 lbs	0.00	0.00	

Driver/Passengers:

	Center of Gravity	Front Axle	Rear Axle	Total
Driver	front axie	350 00 lbs	0.00 lbs	350.0 lbs

Current report content is based on data as of 2019-06-18 16:25-11. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information. available. Isuzu Commercial Truck of America. Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models

Page 2

Copyright (c) 2019 Isuzu Commercial Truck of America, Inc.

Model MT1 FTR 152 G1 White, FTR standard model specifications with power windows, power docks, air conditioning, 6.14 final ratio. 1182.5 Gires, and 50 gallon aluminum fuel tank (THF) Vehicle Application RQ2 Truck Application RQ2 Truck Application FPA Federal O I Ibs. FPA Federal FPA Federal O I Ibs.	Model MT1 FTR 152 G1 White, FTR standard model specifications with power windows, power door locks, air canditioning, 6.14 final rabo. 1182.56 tires, and 50 gallon aluminum fuel tank (THF) Vehicle Application RQ2 Truck Application RQ2 Truck Application WF5 California Emissions EPA Federal O0 lbs. FPA Federal ISH LRR (low rolling resistance) Premium high-way tread O0 lbs. Premium high-way tread O0 lbs. S3D Premium high-way tread O0 lbs. FSS 1182.5 G Engline RJS Isuzu 4HK1-TC, 4 cylinder 317 CID (5.2L), 215 HP at 2500 RPM, 520 Rt. by gross torque at 1600 rpm, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled ESR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Gil level check ewitch and light. Engine warning system with audible warning for low oil pressure. high coolant temperature, and low coolant level. K30 Cruise control V6E Allison RDS 2550 / 6 speed trans w/ PTO gear Wheelbase 39W 152* Wheelbase O 0 lbs. Alternator WG8 Dry paper single element. (Donaldson) Q4A Air restriction indicator in MID O 0 lbs. Alternator IX1 Dual 12-Volt maintenance free group 31 750 CCA batteries with threaded posts Exhaust IX7 Single horizontal with DPF/SCR exhaust system O 0 lbs.	-	Code	Description	Weight	MSR
MT1 FTR 152 White, FTR standard model specifications with power windows, power door locks, air conditioning, 6 14 final rasio, 11R22 5G tires, and 50 gallon aluminum fuel tank (THF) /ethicle Application RQ2 Truck Application RQ2 Truck Application VF5 California Emissions EPA Federal O 0 lbs. ISH LRR (low rolling resistance) R3C Premium highway tread O 0 lbs. S30 Premium highway traction O 0 lbs. S58 11R22.5 G O 0 lbs. Isuzu 4HK1-TC. 4 cylinder 317 CID (5.2L), 215 HP at 2500 RPM, 520 ftlb gross torque at 1600 rpm 16 valve, four cycle, overhead care, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Oil level check switch and light. Engine warming system with audible warming for low oil pressure. high coolant tervel. K30 Cruise control V6E Allison RDS 2550 / 6 speed trans w/ PTO gear Vincelbase Wincelbase Vincelbase Vin	MT1 FTR 152 G1 White, FTR standard model specifications with power windows, power door locks, air conditioning, 6, 14 final ratio, 11R22,5G trees, and 50 gallon aluminum fuel tank (THF) /ehicle Application RQ2 Truck Application RQ2 Truck Application California Emissions FEPA Federal California Emissions California Emissions FEPA Federal California Emissions FEPA Federal California Emissions California Emission	Andel	Couc	Description	weight.	merci
G1 White, FTR standard model specifications with power windows, power door locks, air conditioning, 6.14 final ratio, 11R22.5G tires, and 50 gallon aluminum fuel tank (THF) Proficie Application RQ2 Truck Application RQ2 Truck Application O, 0 lbs. FFS California Emissions EPA Federal O, 0 lbs. FR3C Premium highway tread O, 0 lbs. PR3C Premium highway tread O, 0 lbs. S3D Premium highway tread O, 0 lbs. FSS 11R22.5 G O, 0 lbs. SSS 11R22.5 G O, 0 lbs. SSS 11R22.5 G O, 0 lbs. Federal O, 0 lbs. Cruise control trub gross forque at 1600 pm, 16 valve, four cycle, overhead cam, burbocharged, inter- cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system, engine cruse control function. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coloiant temperature, and low coolant level. Cruise control VSE Allison RDS 2550 / 6 speed trans w/ PTO gear Vincelbase Ur Cleaner WGS Dry paper single element. (Donaldson) Q4A Air restriction indicator in MID O lbs. Utternator IZC 140 AMP with integral regulator IXT Single horizontal with DPF/SCR exhaust system O lbs. Stheust IXT Single horizontal with DPF/SCR exhaust system O lbs.	White, FTR standard model specifications with power vindows, power don loks, air conditioning, 6.14 final rabo, 11822.5G stres, and 50 gallon aluminum fuel tank (THF) Fehicle Application RQ2 Truck Application 0.0 lbs. Imissions FFS California Emissions 0.0 lbs. EPA Federal 0.0 lbs. ISH LRR (low rolling resistance) 0.0 lbs. R3C Premium highway tread 0.0 lbs. S3D Premium highway tread 0.0 lbs. S3D Premium highway treation 0.0 lbs. Ingine RJS Isuzu 4HK1-TC, 4 cylinder 317 CID (5.2L.), 215 HP at 2500 RPM, 520 ftlb gross torque at 1600 rpm, 16 valve, four cycle, overhead cam, turbocharged, intercooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Oil level chack switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. K30 Cruise control K30 Dry paper single element. (Donaldson) 0.0 lbs. V6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. V6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. V6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. V6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. V6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. V6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. V6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. V6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. V6E Single horizontal with DPF/SCR exhaust system 0.0 lbs. V6E Cooler 0.0 lbs. V6A Single horizontal with DPF/SCR exhaust system 0.0 lbs.	iio deli	MT1	ETR 152		\$83.048.0
Page	Imissions			White, FTR standard model specifications with power windows, power door locks, air conditioning, 6.14 final ratio, 11R22.5G tires, and 50 gallon		\$0.0
Tres	Transmissions	ehicle App	lication			
Tres	Page		RQ2	Truck Application	0.0 lbs	Inc
IFPA	IFES	missions				
ISH	ISH		YF5	California Emissions	0.0 lbs	Inc
ISH	ISH		EPA	Federal		Inc
R3C	R3C	ires			777.775	
R3C	R3C		15H	LRR (low rolling resistance)	0.0 lbs	Inc
S3D	S3D					in
SSS 11R22.5 G 0.0 lbs.	SSB					Inc
RJS Isuzu 4HK1-TC. 4 cylinder 317 CID (5.2L), 215 HP at 2500 RPM, 520 ftlb gross torque at 1600 rpm, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. K30 Cruise control 0.0 lbs. Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. Ir Cleaner WG8 Dry paper single element. (Donaldson) 0.0 lbs. Q4A Air restriction indicator in MID 0.0 lbs. Iternator I2C 140 AMP. with integral regulator. 0.0 lbs. IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts Xhaust IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. T2E Cooler 0.0 lbs.	RJS Isuzu 4HK1-TC, 4 cylinder 317 CID (5.2L.), 215 HP at 2500 RPM, 520 ft. Ib gross torque at 1600 rpm, 16 valve, four cycle, overhead cam, turbocharged, intercooled, water cooled EGR valve, direct injection, electronically controlled common rail fluel system, engine cruise control function. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. K30 Cruise control Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. If Cleaner WG8 Dry paper single element. (Donaldson) 0 lbs. Q4A Air restriction indicator in MID 0 lbs. Iternator I2C 140 AMP, with integral regulator 0.0 lbs. IX1 Dual 12-Volt maintenance free group 31 750 CCA 0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. T2E Cooler NPE Electronic exhaust restriction 0.0 lbs.					In
RUS Isuzu 4HK1-TC, 4 cylinder 317 CID (5.2L), 215 HP at 2500 RPM, 520 ftlb gross torque at 1600 rpm, 16 valve, four cycle, overhead cam, turbocharged, intercooled, water cooled EdR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. K30 Cruise control 0.0 lbs. Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. Y6E Dry paper single element. (Donaldson) 0.0 lbs. Y6A Air restriction indicator in MID 0.0 lbs. Iternator 12C 140 AMP, with integral regulator. 0.0 lbs. IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. Stheust 1X7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. X12E Cooler 0.0 lbs.	RJS Isuzu 4HK1-TC, 4 cylinder 317 CID (5.2L.), 215 HP at 2500 RPM, 520 ftlb gross torque at 1600 rpm, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EdR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. K30 Cruise control Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear V6E Allison RDS 2550 / 6 speed trans w/ PTO gear V76E Dry paper single element. (Donaldson) Q4A Air restriction indicator in MID 12C 140 AMP, with integral regulator. V81 Dual 12-Volt maintenance free group 31 750 CCA batteries with threaded posts X80 Single horizontal with DPF/SCR exhaust system Q50 Ibs. X80 Single horizontal with DPF/SCR exhaust system Q70 Ibs. Q72 E Cooler Q75 Ibs. Q76 Ibs. Q77 Electronic exhaust restriction Q77 Ibs. Q78 Ibs. Q79 Ibs. Q79 Ibs. Q70 Ibs. Q70 Ibs.	naine			0.0108	***
Transmission Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear W1eelbase 39W 152* Wheelbase 0.0 lbs. Utr Cleaner W38 Dry paper single element. (Donaldson) 0.0 lbs. Q4A Air restriction indicator in MID 0.0 lbs. Uternator I2C 140 AMP. with integral regulator. 0.0 lbs. IX1 Dual 12-Volt maintenance free group 31 750 CCA batteries with threaded posts Exhaust IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	Transmission Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear 39W 152" Wheelbase 0.0 lbs. Uir Cleaner WG8 Dry paper single element. (Donaldson) 0.0 lbs. Q4A Air restriction indicator in MID 0.0 lbs. Uiternator I2C 140 AMP, with integral regulator 0.0 lbs. Sattery IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. T2E Cooler 0.0 lbs. NPE Electronic exhaust restriction 0.0 lbs.			2500 RPM, 520 ftlb gross torque at 1600 rpm. 16 valve, four cycle, overhead cam, turbocharged, inter- cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level.	U U IOS	Inc
Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. 39W 152" Wheelbase 0.0 lbs. Ir Cleaner WG8 Dry paper single element. (Donaldson) 0.0 lbs. Q4A Air restriction indicator in MID 0.0 lbs. Iternator I2C 140 AMP. with integral regulator. 0.0 lbs. IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. IX2 Single horizontal with DPF/SCR exhaust system 0.0 lbs. T2E Cooler 0.0 lbs.	Y6E Allison RDS 2550 / 6 speed trans w/ PTO gear 0.0 lbs. Wheelbase 39W 152" Wheelbase 0.0 lbs. WG8 Dry paper single element. (Donaldson) 0.0 lbs. Q4A Air restriction indicator in MID 0.0 lbs. Ulternator 12C 140 AMP, with integral regulator. 0.0 lbs. IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. Exhaust IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. T2E Cooler 0.0 lbs. NPE Electronic exhaust restriction 0.0 lbs.			Cruise control	0.0 lbs.	Inc
Single horizontal with DPF/SCR exhaust system Single less Single horizontal with DPF/SCR exhaust system Single horizon	## Title ## Tit	ransmissio	Market Company	KW1		
WG8 Dry paper single element. (Donaldson) 0.0 lbs. Q4A Air restriction indicator in MID 0.0 lbs. Iternator I2C 140 AMP, with integral regulator. 0.0 lbs. IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	WG8	/heelbase	Y6E	Allison RDS 2550 / 6 speed trans w/ PTO gear	0.0 lbs.	Inc
WG8 Dry paper single element. (Donaldson) 0.0 lbs. Q4A Air restriction indicator in MID 0.0 lbs. Iternator I2C 140 AMP, with integral regulator. 0.0 lbs. IXT Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. IXT Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	WG8	ir Cleaner	39W	152" Wheelbase	0.0 lbs.	Inc
Iternator I2C 140 AMP, with integral regulator. IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	O4A Air restriction indicator in MID O.0 lbs.	iii Gicuitoi	WGB	Dry paper single element (Donaldson)	O O libe	Inc
IZC 140 AMP, with integral regulator. 0.0 lbs. IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	IZC 140 AMP, with integral regulator. 0.0 lbs. IX1 Dual 12-Voit maintenance free group 31 750 CCA 0.0 lbs. IX1 Dual 12-Voit maintenance free group 31 750 CCA 0.0 lbs. IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs. NPE Electronic exhaust restriction 0.0 lbs.					Inc
IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs. NPE Electronic exhaust restriction 0.0 lbs.	Iternator	SEPTEMBER 1		0.0104	100
IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs. NPE Electronic exhaust restriction 0.0 lbs.		120	140 AMP with integral regulator	0.0 lbs	Inc
IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	IX1 Dual 12-Volt maintenance free group 31 750 CCA 0.0 lbs. batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs. NPE Electronic exhaust restriction 0.0 lbs.	atterv		The same straight regulation	0.0 109.	ITK
batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	batteries with threaded posts IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs. NPE Electronic exhaust restriction 0.0 lbs.		IX1	Dual 12-Volt maintenance free group 31 750 CCA	0.0 lbs	in.
IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs. NPE Electronic exhaust restriction 0.0 lbs. 0.0 lbs.				0.0 lbs.	inc
IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs.	IX7 Single horizontal with DPF/SCR exhaust system 0.0 lbs. 72E Cooler 0.0 lbs. NPE Electronic exhaust restriction 0.0 lbs.	vhaust		Contenes manuficaced posts		
72E Cooler 0.0 lbs.	72E Cooler 0.0 lbs. NPE Electronic exhaust restriction 0.0 lbs.	uust	IV7	Single harizontal with DOE/SCD	0.015-	
AUDE EL CONTROL DE CON	NPE Electronic exhaust restriction 0.0 lbs.					Inc
THE Electronic exhaust restriction 0.0 lbs.	U.O. IOS.					Inc
roat Avia	TOTAL AXIE	root fute	MALE	Electronic exhaust restriction	0.0 lbs.	Inc

Current report content is based on data as of 2019-06-18 16:25.11. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available, Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Page 3	Copyright (c) 2019 Isuzu Commercial Truck of America, Inc.	Initial
--------	--	---------

CICCICO	HIUU	el and Options		
	Code	Description	Weight	MSRF
Rear Axie				
	40M	Dana 19060S single-speed axie, 19,000 lbs, capacity	0.0 lbs.	Inc
	M20	Dana S19-140 single-speed axle, 19,000 lbs. capacity	0.0 lbs.	Inc
Ratio				
· ·	wav	6.14	2.2.1	14.0
uel Tank	WUV	0.14	0.0 lbs.	Inc
uel lank				
	70A	Left hand rail	0.0 lbs.	Inc
	THE	50 Gallon Fuel Tank Capacity	0.0 lbs.	Inc
Seat				
	A56	Level air suspension seat with RH armrest driver seat	0.0 lbs.	inc
	24C	Rigid mount passenger seat	0.0 lbs.	Inc
	25J	Tray top with tilt up back center seat	0.0 lbs.	inc
Irakes		DESCRIPTION OF THE PROPERTY OF		-
-	NFB	Butterfly valve type, air controlled	0.0 lbs.	Inc
	Z06	Full air dual circuit, s-cam, drum	0.0 lbs	inc
	JE5	Brake system power antilock	0.0 lbs	inc
	PS7	Heated air dryer	0.0 lbs.	Inc
	B3A	In wheel air brake parking brake	0.0 lbs.	-
	BCU	Automatic slack adjusters	0.0 lbs.	Inc
ur Conditi		Automatic stack adjusters	U.U IDS	inc
ui Condia	000000000000000000000000000000000000000			
	C60	Air conditioner	0.0 lbs.	Inc
ower Min	Minimum and Committee of the Committee o	Door Locks		
	ILO	Yes	0.0 lbs.	Inc
lodel Opti	on			
	G1	White, FTR standard model specifications with power windows, power door locks, air conditioning, 6.14 final ratio, 11R22.5G tires, and 50 gallon aluminum fuel tank (THF)	0.0 lbs.	Inc
dditional	Options	Minario Vi		
	UZF	Back up alarm	1 0 lbs	\$112.0
	IL9	PTO enable switch and engine idle up switch recommended for PTO and idle applications only	0.1 lbs.	\$48.00
Vipers				
	C13	2 speed & adjustable intermittent wet arm washer blades	0.0 lbs.	Inc
auges				
	7NY	Multi information display (MID)	0.0 lbs	100
	UD7	Tachometer	0.0 lbs	Inc
ights	007	I delignmenter	U.U IDS	Inc
yers.	***	Malana bandlaba		
	TT5	Halogen headlights	0.0 lbs.	Inc
	81E	Turn signal lamp - front	0.0 lbs.	Inc
	T87	Cornering lamp	0.0 lbs.	Inc

Current report content is based on data as of 2019-06-18 16:25.11. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Issuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Page 4 Copyright (c) 2019 Isuzu Commercial Truck of America, Inc. Initial.

Code	Description	Minimba	MSRF
	Description	Weight	
TEL	Side turn signal lamp	0.0 lbs.	Inc
U01	Five roof marker lamp	0.0 lbs.	Inc
81Y	Interior courtesy light	0.0 lbs.	Inc
6SD	Seat belt warning light and chime	0.0 lbs.	Inc
Exterior Steering			
N40	Power steering Saginaw st	0.0 lbs.	Inc
nterior Steering			
N33	Steering column tilt type	0.0 lbs.	Inc
nterior Storage	aut a suite		
EDG	Overhead shelf with doors on driver and passenger sides	0.0 lbs.	Inc
JDN	Glove box	0.0 lbs	Inc
7KZ	Cup holder in dash	0.0 lbs.	Inc
7XS	Cup holder in center console, large size	0.0 lbs.	Inc
nterior Trim	Cup notice in center console, large size	U.U IDS.	inc
7FL	Cloth seats	0.0 lbs.	Inc
WM3	Full trim, medium charcoal gray	0.0 lbs	Inc
D20	Sun visor driver and passenger	0.0 lbs	Inc
6WX	Vinyl floor cover	0.0 lbs	Inc
IQ6	Floor mats	0.0 lbs	
Mirrors	Pioor mass	U.U Ibs.	Inc
DJ6	Black mirror head with black stays	0.0 lbs.	Inc
TLR	Cross mirror, passenger side	0.0 lbs.	inc
Glass	Gross Hillor, passeriger side	0.0105.	1176
8LF	Rear window	0.0 lbs	Inc
A02	Windshield bonded, laminated, and tinted with upper	0.0 lbs.	
AUZ	shade band	U.U IDS.	Inc
Doors	STATE SETS		
6QL	90 degree door opening, side impact door beams	0.0 lbs	inc
E29	2 step cab entry	0.0 lbs.	Inc
CAB	2 step cab entry	0.0 lbs.	inc
CAB	High rigidity single low cab forward (LCF) with 81.5	0.0 lbs.	Inc
	inch BBC	0.0.00	****
W71	Rigid mount	0.0 lbs	Inc
11A	Cab color fenders	0.0 lbs	inc
TL4	Tilt up access panel grille	0.0 lbs.	Inc
729	Arc white color	0.0 lbs	Inc
Front Bumper	The fille color	0.0 100.	1110
VB5	Pointed at the	0.0%	1400
	Painted white	0.0 lbs.	Inc
Frame			
7KJ	Straight frame, 80,000 PSI, 33.5 wide	0.0 lbs.	Inc
6FT	Two front tow hooks	0.0 lbs.	Inc
848	Black color	0.0 lbs.	Inc

Current report content is based on data as of 2019-06-18 16:25.11. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.


Page 5 Copyright (c) 2019 Isuzu Commercial Truck of America, Inc. Initial: ___

Code	Description	Weight	MSR
FJZ	22.5" x 8.25"	0.0 lbs.	Inc
W20	Arc white color	0.0 lbs	Inc
Rear Springs		5.5.65	***
34L	21,000 lbs. capacity	0.0 lbs	Inc
SAS	Multi leaf, boited	0.0 lbs	In
Front Hub Lube		0.000	
C5K	Oil bath	0.0 lbs	Inc
Front Stabilizer B	ur	0.0102	61.50
F59	Yes	0.0 lbs	In
Front Springs		0.0.00	
34K	12,000 lbs. capacity	0.0 lbs	in
SAR	Taper leaf	0.0 lbs	In
Accessories			
K05	Engine block heater element	0.0 lbs	In
WF3	Two 12V power outlets	0.0 lbs	In
6KK	Dual electric horn	0.0 lbs	in
8RP	Radio AM/FM/CD with Bluetooth	0.0 lbs	inc
IX2	Rear body dome lamp switch	0.1 lbs.	In
Cooling			
500	Radiator heavy duty	0.0 lbs	In
Air Compressor	and the second s		
E1Q	Heavy duty	0.0 lbs	Inc
Air Intake			
KJ3	Vertical air intake, rear cab mounted	0.0 lbs	Inc
GVW Rating			
GZI	25,950 lbs.	0.0 lbs.	Inc
Totals			
	Base Price		\$83.048.0
	Destination Charge		\$2,000.0
	DEF Fill Charge		\$10.0
	Total Options Price		\$160.0
	Tire Weight Tax		\$151.6
	Total		\$85,369.6

Current report content is based on data as of 2019-06-18 16 25 11. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Copyright (c) 2019 Isuzu Commercial Truck of America, Inc.

Initial: ___



DIMENSIONAL SPECIFICATIONS				
1 AVAILABLE BODY VOLUMES -	→ r 6 YARD ³	8 YARD ³	10 YARD ³	11 YARD ³
(2) HEIGHT ABOVE CHASSIS FRAME	69 3/4	69 3/4	69 3/4	73 1/4
ODEPTH OF HOPPER	13	13	13	13
4 HOPPER BELOW CHASSIS FRAME	11	11	11	11
(5) HOPPER INSIDE WIDTH	66	66	66	66
6 HOPPER OPENING HEIGHT	41	41	41	41
OVERALL LENGTH	161 3/4	185 3/4	209 3/4	209 3/4
8 OVERALL WIDTH	85 1/2	85 1/2	85 1/2	85 1/2
(9) REAR OF BODY TO REAR OF TAILGATE	44 3/4	44 3/4	44 3/4	44 3/4
10 APPROX BODY WEIGHT	7,200 LBS	7,700 LBS	8,200 LBS	8,500 LBS
11 LOAD SILL ABOVE CHASSIS FRAME	2 INCHES	2 INCHES	2 INCHES	2 INCHES
12 HOPPER CAPACITY	1.0 YD ³	1.0 YD ³	1.0 YD ³	1.0 YD ³
13 HEIGHT ABOVE FRAME (WITH GATE RA	ISED) 118	118	118	118

CHASSIS RECOMMENDATIONS Specify EUTE chassis to have 19.5 wheel size (not 22.5). Consult factory F intending 22.5 wheel size.

0-0110-01	consult receipt I licentify 22.5 wheel size.					
BODY SIZE	MINIMUM GVWR	CA	AF.			
6 YD 3	17,000	85"	34"			
8 YD 3	21,000	108"	34"			
10 YD3>	25,500	134"	34"			
11 YD3>	25,500	134"	34"			

ISUZU "NOTES":

FOR the ELITE 6 and ELITE 8...THE ISUZU "N-SERIES" CHASSIS IS "FOFLUAR" CHOICE

ISUZU "ONLY" OFFERS "AFT OF REAR AXLE FUEL TANK. THIS TANK MUST BE "MOVED"

Aft of rear axie fuel tanks will require fuel tank "move" __.and will be Dealer's responsibility!!

FOR the ELITE 8...THE ISUZU <u>WB = 122.5"</u> IS THE "CORRECT" ISUZU WHEEL BASE ... AND ISUZU's "HORIZONTAL" EXHAUST IS NEEDED.

FOR the ELITE 6...THE ISUZU WB _ 122.5" IS THE "WORKABLE" ISUZU WHEEL BASE ... AND EITHER THE "HORIZONTAL" EXHAUST or "VERTICAL" EXHAUST WII WORK.

The ELITE 5 "CAN BE" ON IBUZU'S WE 100" BUT THEN "BOTH" THE PUEL TAIN, AND THE "BATT BOX" NEED INFLOCATION. THE "HORIZONTAL "EXHAUST "MUST BE" SPEC'S for ELITE 5 on WB 100" LOADMASTER reserves the right to revise product specifications.

This "DATA SHEET" is "informational" only. Consult with your LOADMASTER dealer prior to ordering...for final specifications.



po box 196 Norway, Michigan 49670-0106 fax 906-563-9000 fax

JULY 01, 2018

Material Specifications-Body

Body sides 10 ga. high tensile
3/16" high tensile
1/8" high tensile
1/8" high tensile
10 ga. high tensile
1/8" high tensile

Ejector's track channel 14" high tensile

Body structrual upgrade options available (thickness and alloy)

Material Specifications-Tailgate

Lower tailgate Sides 3/16" T-1 alloy Upper tailgate Sides 10 ga. high tensile Hopper floor 3/16" T-1 alloy

Separator panel 3/16" abrasion-resistant grade235

Tailgate structural upgrade options available (thickness and alloy)

Material Specifications-Blades

Ejector's face panel
Ejector's structure
Ejector's tracking shoes
Sweep blade face
Sweep blade pusharms
Slide blade face
Blades wrist pin & axles

10 ga. high tensile
tubular 2" x 3" x 3/16"
UHMW polyethylene
3/16" T-1 alloy
½" high tensile
7 ga. high tensile
8/16" T-2 alloy
1/2" high tensile
9/2" high tensile
1/2" high tensile
1/2" high tensile
1/2" High tensile
1/2" T-2 alloy
1/2" T-2

Blades wrist pin & axles 2 14" dia, med carb cold finish Slider's shoeing nylatron nsm & uhmw polyethylene

Hydraulic Specifications

20 gallon Sweep Cylinders (2) 3 1/2" bore Reservoir Pack (slider) Cylinders (2) 3 1/2" bore cast iron gear-type (3 cubic inch per rev) Pump Gate lift Cylinders (2) Pump flow 3 1/2" bore 18 gpm Ejector Tellescopic 2-stage (4.5/3.5) Max syst pressure 2,700 psi Suction Filter Body-mounted valve 2 function sectional 100 mesh 5 micron tank top Return Filter Tailgate-mounted valve 3 function sectional

Electrical Specifications

Wire 14 ga sxl

Wire identifiers color & function labelling
Harnessing multi-section; braid covering
Harness Connects Deutsch aircraft type

Harness Connects Deutsch aircraft type Wire connects heat shrink sealed

Some standard features

Epoxy primer paint Undercoated Automatic tailgate latches Body access door with ladder Full complement of lights Quick change shoeing

Some available options

Hot-shift PTO or cable shift Work lights Strobe lights

8k Drum winch (container handling)

Cart Tipper/ Barrel Tipper

"Customer-preferred" choices

Switches

Lights



centralized, in-cab panel

grommet-mounted

VEHICLES # 3 & 4 3/4 Ton Crew Cab Pickup



National Auto Fleet Group

490 Auto Center Drive, Watsonville, CA 95076 [855] 289-6572 • [831] 480-8497 Fax Fleet@NationalAutoFleetGroup.com

6/6/2019 6/11/2019 Re-Configured

Quote ID: 10635 R1

Order Cut Off Date: 8/2/2019

Mr Julio Bello Port of San Diego

1400 Tidelands Ave

National City, California, 91950

Dear Julio Bello.

National Auto Fleet Group is pleased to quote the following vehicle(s) for your consideration.

Two (2) New/Unused (2019 Ford Super Duty F-250 SRW (W2A) XL 2WD Crew Cab 6.75" Box 160" WB, Harbor Truck Equipment) and delivered to your specified location, each for

	One Unit	Extended Unit's (2)
Contract Price	\$40,856.84	\$81,713.68
Harbor Truck Equipment	\$2,219.80	\$4,439.60
6 additional key(s)	\$1,200.00	\$2,400.00
Tax (8.7500 %)	\$3,874.21	\$7,748.42
Tire fee	\$8.75	\$17.50
Total	\$48,159.60	\$96,319.20

⁻ per the attached specifications.

This vehicle(s) is available under the Sourcewell (Formerly Known as NJPA) Contract 120716-NAF. Please reference this Contract number on all purchase orders to National Auto Fleet Group. Payment terms are Net 20 days after receipt of vehicle.

Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call. Sincerely,

Jesse Cooper Account Manager

Email: Fleet@NationalAutoFleetGroup.com

Office: (855) 289-6572 Fax: (831) 480-8497 Quoting Department Account Manager Fleet@NationalAutoFleetGroup.com (855) 289-6572













GMC



255 Voyager Ave Brea, CA 92821 Phone: 714-996-0411 Fax: 714-996-0695

Sales Quote

Page 1 of 1

Sales Quote Sales Quote Date: Inside Sales Rep.:

SQ26229 6/10/2019 Kimberly Bellamy

NATIONAL AUTO FLEET GROUP **DEALER # 71E061** 1330 W. MAIN ST. ALHAMBRA, CA 91801 626-414-2000

Ship To:

PORT OF SAN DIEGO 1400 TIDELANDS AVE

NATIONAL CITY, CA 91950

Tax Ident. Type Legal Entity

Ship Via

2% 10 Days, Net 30

Customer ID Dealer Number

SalesPerson VIN

FLW01 JENNIFER

DND

Location BREA REGION 1 Territory

Harbor Truck Bodies is Not Held Responsible for any items not listed on this order/quote.

Pricing on quote is valid 30 days from sales quote date.

Item No.	Description	Exp. Notes	Unit	Qty.	Unit Price	Net Price
FORD-040-C-SRW	FORD 40° CA CREW CAB SRW GAS-		EACH	1		
SEO_1	LADDER RACK FORKLIFT LOADABLE	fuller truck accessories #BACB1001, BACB1003, BAC30221 AND BAC15018	EACH	1	928.20	928.20
MLS8R8-LED	LIGHT ROTATING BEACON STROBE LED ECCO 7965		EACH	2	433.30	866,60
MPDI	PDI FOR NEW VEHICLE		EACH	1	225.00	225.00
FREIGHT	Freight		EACH	1	125.00	125.00
FUEL CHARGE	FUEL CHARGE		EACH	1	75.00	75.00

Amount Subject to Sales Tax Amount Exempt from Sales Tax	0 2.219.80		
Authorized Signature		Date	
Dealer VIN/VON			

Sulbtotal:	2,219.80
Invoice Discount:	0.00
Total Salles Tax:	0.00
Total:	2.219.80

Vehicle Configuration Options

Code	Description					
99T	ENGINE: 6.7L 4V OHV POWER STROKE V8 TURBO DIESEL B20, -inc: manual push-button engine-exhaust braking and intelligent oil-life monitor, 175 Amp Heavy Duty Alternator, 34 Gallon Fuel Tank, 3.31 Axle Ratio, Dual 78-AH 750 CCA Batteries					
TRANS	MISSION					
Code	Description					
44W	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC, -inc: (6R140), SelectShift					
WHEELS						
Code	Description					
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)					
TIRES						
Code	Description					
TD8	TIRES: LT245/75RX17E BSW A/S (4), (STD)					
PRIMAR	Y PAINT					
Code	Description					
Z1	OXFORD WHITE					
PAINT S	CHEME					
Code	Description					
	STANDARD PAINT					
SEAT TY	PE					
Code	Description					
AS	MEDIUM EARTH GRAY, HD VINYL 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar					
AXLE R	ATIO					
Code	Description					
X31	3.31 AXLE RATIO					
ADDITIO	NAL EQUIPMENT					
Code	Description					
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trin panel, Accessory Delay, Advanced Security Pack, SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors, Power Locks, Remote Keyless Entry, Manual Telescoping/Folding Trailer Tow Mirrors, power heated glass, heated convex spotter mirror and					

600A	ORDER CODE 600A
Code	Description
OPTION	PACKAGE
525	STEERING WHEEL-MOUNTED CRUISE CONTROL
585	RADIO: AM/FM STEREO/MP3, -inc: 6 speakers, SYNC Communications & Entertainment System, enhanced voice recognition w/911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls
91S	AMBER LED WARNING STROBES (PRE-INSTALLED), -inc: center high-mounted stop light bar and 2 hood mounted lights
18B	PLATFORM RUNNING BOARDS
76C	EXTERIOR BACKUP ALARM (PRE-INSTALLED), -inc: Custom accessory
	integrated clearance lights and turn signal indicators, Power Front & Rear Seat Windows, 1- touch up/down driver/passenger window, Power Tailgate Lock

2019 Fleet/Non-Retail Ford Super Duty F-250 SRW XL 2WD Crew Cab 6.75' Box 160" WB

WINDOW STICKER

CODE	MODEL	MSRP
W2A	2019 Ford Super Duty F-250 SRW XL 2WD Crew Cab 6.75' Box 160" WB	\$36,745.00
	OPTIONS	
99T	ENGINE: 6.7L 4V OHV POWER STROKE V8 TURBO DIESEL B20, -inc: manual push-button engine-exhaust braking and intelligent oil-life monitor, 175 Amp Heavy Duty Alternator, 34 Gallon Fuel Tank, 3.31 Axle Ratio, Dual 78-AH 750 CCA Batteries	\$9,120.00
44W	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC, -inc: (6R140), SelectShift	\$0.00
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)	\$0.00
TD8	TIRES: LT245/75RX17E BSW A/S (4), (STD)	\$0.00
Z1	OXFORD WHITE	\$0.00
	STANDARD PAINT	\$0.00
AS	MEDIUM EARTH GRAY, HD VINYL 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar	\$0.00
X31	3.31 AXLE RATIO	INC
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Advanced Security Pack, Securit.ock Passive Anti-Theft System (PATS) and inclination/intrusion sensors, Power Locks, Remote Keyless Entry, Manual Telescoping/Folding Trailer Tow Mirrors, power heated glass, heated convex spotter mirror and integrated clearance lights and turn signal indicators, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock	\$1,125.00
76C	EXTERIOR BACKUP ALARM (PRE-INSTALLED), -inc: Custom accessory	\$140.00
18B	PLATFORM RUNNING BOARDS	\$445.00
915	AMBER LED WARNING STROBES (PRE-INSTALLED), -inc: center high-mounted stop light bar and 2 hood mounted lights	\$675.00
585	RADIO: AM/FM STEREO/MP3, -inc: 6 speakers, SYNC Communications & Entertainment System, enhanced voice recognition w/911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls	\$550.00
525	STEERING WHEEL-MOUNTED CRUISE CONTROL	\$235.00
600A	ORDER CODE 600A	\$0.00

SUBTOTAL	\$49,035.00
Advert/ Adjustments	\$0.00
Manufacturer Destination Charge	\$1,595.00
TOTAL PRICE	\$50,630.00
Est City: N/A MPG Est Highway: N/A MPG Est Highway Cruising Range: N/A mi	

Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel -inc: Flex-Fuel badge on fleet orders only Transmission: TorqShift-G 6-Spd Auto w/SelectShift 3.73 Axle Ratio GVWR: 10,000 lb Payload Package 50-State Emissions System Transmission w/Oil Cooler Rear-Wheel Drive 72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection 157 Amp Alternator Class V Towing Equipment -inc: Hitch and Trailer Sway Control Trailer Wiring Harness 3890lbs. Maximum Payload HD Shock Absorbers Front Anti-Roll Bar Firm Suspension Hydraulic Power-Assist Steering 34 Gal. Fuel Tank Single Stainless Steel Exhaust Front Suspension w/Coil Springs Leaf Rear Suspension w/Leaf Springs 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments	
Tires: LT245/75Rx17E BSW A/S (4)	
Regular Box Style	
Steel Spare Wheel	
Full-Size Spare Tire Stored Underbody w/Crankdown	
Clearcoat Paint	
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks	
Black Rear Step Bumper	
Black Side Windows Trim and Black Front Windshield Trim	
Black Door Handles	
Black Manual Side Mirrors w/Manual Folding	
Manual Extendable Trailer Style Mirrors	
Fixed Rear Window	
Light Tinted Glass	

Variable Intermittent Wipers

Aluminum Panels

Black Grille

Front License Plate Bracket

Tailgate Rear Cargo Access

Manual Tailgate/Rear Door Lock

Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-

Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 4 speakers

Fixed Antenna

1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement

4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement

60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission

Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer

Manual Rear Windows

Manual Air Conditioning

HVAC -inc: Underseat Ducts

Illuminated Locking Glove Box

Interior Trim -inc: Chrome Interior Accents

Full Cloth Headliner

Urethane Gear Shift Knob

HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual

lumbar

Day-Night Rearview Mirror

Passenger Visor Vanity Mirror

2 12V DC Power Outlets

Full Overhead Console w/Storage and 2 12V DC Power Outlets

Fade-To-Off Interior Lighting

Front And Rear Map Lights

Full Vinyl/Rubber Floor Covering

Underhood And Pickup Cargo Box Lights

Instrument Panel Bin and Covered Dashboard Storage

Manual 1st Row Windows

Systems Monitor	
Trip Computer	
Outside Temp Gauge	
Analog Display	
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints	
Securilock Anti-Theft Ignition (pats) Engine Immobilizer	
Air Filtration	

Electronic Stability Control	(ESC) And Roll Stability Control (RSC)
ABS And Driveline Tractio	n Control
Side Impact Beams	
Dual Stage Driver And Pa	ssenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pres	ssure Warning
Mykey System -inc: Top S Sound Chimes and Beltmi	peed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable nder w/Audio Mute
Safety Canopy System Cu	rtain 1st And 2nd Row Airbags
Outboard Front Lap And S	Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters
Dual Stage Driver And Pa	ssenger Front Airbags
Back-Up Camera	

VEHICLE # 5 Crew Cab Stakebed Truck



National Auto Fleet Group

490 Auto Center Drive, Watsonville, CA 95076 [855] 289-6572 • [831] 480-8497 Fax Fleet@NationalAutoFleetGroup.com

6/6/2019 6/11/2019 Re-Configured

Quote ID: 10638 R1

Order Cut Off Date: 8/2/2019

Mr Julio Bello Port of San Diego 1400 Tidelands Ave

National City, California, 91950

Dear Julio Bello,

National Auto Fleet Group is pleased to quote the following vehicle(s) for your consideration.

One (1) New/Unused (2019 Ford Super Duty F-350 SRW (W3A) XL 2WD Crew Cab 8' Box 176" WB, Harbor Stakebed and Lift Gate) and delivered to your specified location, each for

	One Unit
Contract Price	\$42,811.16
Harbor Stakebed and Lift Gate	\$15,193.60
4 additional key(s)	\$800.00
Tax (8.7500 %)	\$5,145.42
Tire fee	\$8.75
Total	\$63,958.93

⁻ per the attached specifications.

This vehicle(s) is available under the Sourcewell (Formerly Known as NJPA) Contract 120716-NAF. Please reference this Contract number on all purchase orders to National Auto Fleet Group. Payment terms are Net 20 days after receipt of vehicle.

Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call. Sincerely,

Jesse Cooper Account Manager Emai: Fleet@NationalAutoFleetGroup.com Office: (855) 289-6572

Fax: (831) 480-8497

Quoting Department Account Manager Fleet@NationalAutoFleetGroup.com (855) 289-6572











GMC



255 Voyager Ave Brea, CA 92821 Phone: 714-996-0411 Fax: 714-996-0695 Sales Quote

Page 1 of 1

Sales Quote Sales Quote Date: Inside Sales Rep.: 5Q26224 6/10/2019 Kimberly Bellamy

Self

O: NATIONAL AUTO PLEET GROUP DEALER # 71E061 1330 W. MAIN ST. ALHAMBRA, CA. 91801 626-414-2000 Ship

PORT OF SAN DIEGO 1400 TIDELANDS AVE

NATONAL CITY, CA 91950

Tax Ident. Type Legal Entity

Customer ID

FLW01

Ship Via

Terms

2% 10 Days, Net 30

Location Territory BREA REGION 1 Dealer Number SalesPerson

JENNIFER

VIN

Harbor Truck Bodies is Not Held Responsible for any items not listed on this order/quote.

Pricing on quote is valid 30 days from sales quote date.

Item No.	Description	Exp. Notes	Unit	Qty.	Unit Price	Net Price
FORD-056-C-SRW	FORD 56" CA CREW CAB SRW GAS-		EACH	1		
SEO_BFT	FLATBED - DIAMOND PLATE FLOOR	WITH MUDFLAPS	EACH	1	5.526.50	5,526.50
HTFBH7-S	BULKHEAD 40"H X 7"W STRAIGHT FOR STEEL TOP		EACH	1	-,	
U8241814	LNDERBED BOX 241L X 181H X 141D MOUNTED FLUSH WITH SIDE RAIL		EACH	2	421.40	842.80
M7PRONG	7 PRONG TRAILER CONNECTOR (POLLAK)		EACH	1	144.20	144.20
MLSBRB-LED	LGHT ROTATING BEACON STROBE LED ECCO 7965	MOUNT OF	EACH	2	433.30	856,60
MPDI		BULKHEAD				
	PDI FOR NEW VEHICLE		EACH	1	225.00	225.00
1_O32	PUNT WHITE		EACH	1	156.80	156.80
SEO_2	4)" HIGH SLATTED STEEL GATES -	WHITE	EACH	1	1,538.60	1,538.60
MBCK-UP-FD-872D	AFTERMARKET BACK UP CAMERA INSTALLED ON PICKUP BED		EACH	1	209.30	209.30
SEO_1	TOMMYGATE MODEL 80-16 TP42		EACH	1	5,349.40	5,349.40
250"3	MOUNT WITH LED RAIL LIGHTS		EACH	1	134.40	134.40
FUEL CHARGE	FUEL CHARGE		EACH	1	75.00	75.00
FREIGHT	Fæight		EACH	1	125.00	125.00

Amount Subject to Sales Tax 0	3.60 Date	Subtotal:	15,193.60
Amount Exempt from Sales Tax 15,19		Invoice Discount:	0.00
Authorized Signature		Total Sales Tax	0.00
P.O.#		Total:	15,193.60

Vehicle Configuration Options

ENGINE					
Code	Description				
99T	ENGINE: 6.7L 4V OHV POWER STROKE V8 TURBO DIESEL B20, -inc: manual push-button engine-exhaust braking and intelligent oil-life monitor, 48 Gallon Fuel Tank, 175 Amp Heavy Duty Alternator, GVWR: 11,100 lb Payload Package, 3.31 Axle Ratio, Dual 78-AH 750 CCA Batteries				
TRANS	ISSION				
Code	Description				
44W	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC, -inc: (6R140), SelectShift				
WHEELS					
Code	Description				
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)				
TIRES					
Code	Description				
TD8	TIRES: LT245/75RX17E BSW A/S (4), (STD)				
PRIMAR	Y PAINT				
Code	Description				
Z1	OXFORD WHITE				
PAINT S	CHEME				
Code	Description				
	STANDARD PAINT				
SEAT TY	PE				
Code	Description				
AS	MEDIUM EARTH GRAY, HD VINYL 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar				
AXLE R	ITIO				
Code	Description				
X31	3.31 AXLE RATIO				
ADDITIO	NAL EQUIPMENT				
Code	Description				
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trir panel, Accessory Delay, Advanced Security Pack, SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors, Power Locks, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, power heated glass, heated convex spotter mirror and				

	integrated clearance lights and turn signal indicators, Power Front & Rear Seat Windows, 1- touch up/down driver/passenger window, Power Tailgate Lock
66D	PICKUP BOX DELETE, -inc: Deletes tie-down hooks, tailgate, rearview camera, 7/4 pin connector and center high-mounted stop lamp (CHMSL) (only on vehicles over 10,000 lbs,GVWR), Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer, In addition, Ford urges manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builder's Layout Book (and applicable supplements), Rear Bumper Delete, Spare Wheel, Tire, Carrier & Jack Delete
	GVWR: 11,100 LB PAYLOAD PACKAGE
18B	PLATFORM RUNNING BOARDS
59H	CENTER HIGH-MOUNTED STOP LAMP (CHMSL), -inc: CHMSL is deleted from vehicles over 10,000 lbs GVWR w/66D Pickup Box Delete; replaced w/a black cover; to add CHMSL w/66D Pickup Box Delete select 59H, CHMSL is standard under all other conditions
918	AMBER LED WARNING STROBES (PRE-INSTALLED), -inc: center high-mounted stop light bar and 2 hood mounted lights
585	RADIO: AM/FM STEREO/MP3, -inc: 6 speakers, SYNC Communications & Entertainment System, enhanced voice recognition w/911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls
525	STEERING WHEEL-MOUNTED CRUISE CONTROL
76C	EXTERIOR BACKUP ALARM (PRE-INSTALLED)
872	REAR VIEW CAMERA & PREP KIT, -inc: Pre-installed content includes cab wiring, frame wiring to the rear most cross member and video display w/electronic mirror and 4" display, Upfitters kit includes camera w/mounting bracket, 14" jumper wire and camera mounting and aiming instructions
OPTION	PACKAGE
Code	Description
610A	ORDER CODE 610A

2019 Fleet/Non-Retail Ford Super Duty F-350 SRW XL 2WD Crew Cab 8' Box 176" WB

WINDOW STICKER

2019 Ford Super Duty F-350 SRW XL 2WD Crew Cab 6' Box 176" WB		
CODE	MODEL	MSRI
W3A	2019 Ford Super Duty F-350 SRW XL 2WD Crew Cab 8' Box 176* WB	\$38,120.0
	OPTIONS	
99T	ENGINE: 6.7L 4V OHV POWER STROKE V8 TURBO DIESEL B20, -inc: manual push-button engine- exhaust braking and intelligent oil-life monitor, 48 Gallon Fuel Tank, 175 Amp Heavy Duty Alternator, GVWR: 11,100 lb Payload Package, 3.31 Axle Ratio, Dual 78-AH 750 CCA Batteries	\$9,120.0
44W	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC, -inc: (6R140), SelectShift	\$0.0
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)	\$0.0
TD8	TIRES: LT245/75RX17E BSW A/S (4), (STD)	\$0.0
Z1	OXFORD WHITE	\$0.0
_	STANDARD PAINT	\$0.0
AS	MEDIUM EARTH GRAY, HD VINYL 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar	\$0.0
X31	3.31 AXLE RATIO	IN
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Advanced Security Pack, Securit.ock Passive Anti-Theft System (PATS) and inclination/intrusion sensors, Power Locks, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, power heated glass, heated convex spotter mirror and integrated clearance lights and turn signal indicators, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock	\$1,125.0
66D	PICKUP BOX DELETE, -inc: Deletes tie-down hooks, tailgate, rearview camera, 7/4 pin connector and center high-mounted stop lamp (CHMSL) (only on vehicles over 10,000 lbs.GVWR), incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer, in addition, Ford urges manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builder's Layout Book (and applicable supplements), Rear Bumper Delete, Spare Wheel, Tire, Carrier & Jack Delete	(\$625.00
_	GVWR: 11,100 LB PAYLOAD PACKAGE	IN
18B	PLATFORM RUNNING BOARDS	\$445.0
59H	CENTER HIGH-MOUNTED STOP LAMP (CHMSL), -inc: CHMSL is deleted from vehicles over 10,000 lbs GVWR w/66D Pickup Box Delete; replaced w/a black cover; to add CHMSL w/66D Pickup Box Delete select 59H, CHMSL is standard under all other conditions	\$0.0
918	AMBER LED WARNING STROBES (PRE-INSTALLED), -inc: center high-mounted stop light bar and 2 hood mounted lights	\$675.0
585	RADIO: AM/FM STEREO/MP3, -inc: 6 speakers, SYNC Communications & Entertainment System, enhanced voice recognition w/911 Assist, 4.2* LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls	\$550.0
525	STEERING WHEEL-MOUNTED CRUISE CONTROL	\$235.0
76C	EXTERIOR BACKUP ALARM (PRE-INSTALLED)	\$140.0
372	REAR VIEW CAMERA & PREP KIT, -inc: Pre-installed content includes cab wiring, frame wiring to the rear most cross member and video display w/electronic mirror and 4* display, Upfitters kit includes camera w/mounting bracket, 14' jumper wire and camera mounting and aiming instructions	\$415.0
510A	ORDER CODE 610A	\$0.0

SUBTOTAL	\$50,200.00
Advert/ Adjustments	\$0.00
Manufacturer Destination Charge	\$1,595.00
TOTAL PRICE	\$51,795.00
Est City: N/A MPG	
st Highway; N/A MPG st Highway Cruising Range: N/A mi	

Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

Gardener Utility Truck



National Auto Fleet Group

490 Auto Center Drive, Watsonville, CA 95076 [855] 289-6572 • [831] 480-8497 Fax Fleet@NationalAutoFleetGroup.com

6/6/2019 6/11/2019 Re-Configured

Quote ID: 10637 R2

Order Cut Off Date: 8/2/2019

Mr Julio Bello Port of San Diego

1400 Tidelands Ave

National City, California, 91950

Dear Julio Bello,

National Auto Fleet Group is pleased to quote the following vehicle(s) for your consideration.

One (1) New/Unused (2019 Ford Super Duty F-250 SRW (W2A) XL 2WD Crew Cab 8' Box 176" WB, Harbor Utility Body & Equipment) and delivered to your specified location, each for

	One Unit
Contract Price	\$40,854.80
Harbor Utility Body & Equipment	\$8,394.50
4 additional key(s)	\$800.00
Tax (8.7500 %)	\$4,379.31
Tire fee	\$8.75
Total	\$54,437.36

- per the attached specifications.

This vehicle(s) is available under the **Sourcewell (Formerly Known as NJPA) Contract 120716-NAF**. Please reference this Contract number on all purchase orders to National Auto Fleet Group, Payment terms are Net 20 days after receipt of vehicle.

Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call.

Sincerely,

Jesse Cooper Account Manager Email: Fleet@NationalAutoFleetGroup.com Office: (855) 289-6572

Fax: (831) 480-8497





Quoting Department Account Manager Fleet@NationalAutoFleetGroup.com (855) 289-6572







GMC



255 Voyager Ave Brea, CA 92821 Phone: 714-996-0411 Fax: 714-996-0695

Sales Quote

Page 1 of 1

Sales Quote Sales Quote Date: Inside Sales Rep.:

5Q26228 6/10/2019 Kimberly Bellamy

Sell

NATIONAL AUTO FLEET GROUP DEALER # 71E061 1330 W. MAIN ST. ALHAMBRA, CA 91801 626-414-2000

Ship

To: PORT OF SAN DIEGO 1400 TIDELANDS AVE.

NATIONAL CITY, CA 91950

Tax ident. Type Legal Entity

Customer ID

FLW01

Ship Via

HARBOR

Terms

2% 10 Days, Net 30

Dealer Number SalesPerson

JENNIFER

Location Territory

BREA REGION 1 VIN

Harbor Truck Bodies is Not Held Responsible for any items not listed on this order/quote. Pricing on quote is valid 30 days from sales quote date.

Item No.	Description	Exp. Notes	Unit	Qty.	Unit Price	Net Price
FORD-056-C-SRW	FORD 56° CA CREW CAB SRW GAS-		EACH	1	7.11111111111	
HT098-1541A	8-FT TRADEMASTER FOR 56CA SRW. VERTICAL SERIES-C/S & S/S W/STAINLESS STEEL POP TOP LIDS. BODY IS APPROX 98°L 79°W, 49° FLOOR, 41°H, 15°D COMPARTMENTS.		EACH	1	5,416.60	5,416.60
Y08AWHITE	HARBOR WHITE SINGLE STAGE NON CLEAR COAT		EACH	1		
RKTFLB098-1541-L	8-FT TAPERED-LEG SIDE-LOADER OVER-CAB RACK W/ HOOKS, SWING AWAY REAR BAR, & REMOVABLE CROSSBARS, 72" FRONT LENGTH		EACH	1	1,207.50	1,207.50
Z08-F/BRUL79-08-LED	MOUNT U-RECESS BUMPER W/ 8" STEP & LED LIGHTS		EACH	1	125.30	125.30
M7PRONG	7 PRONG TRAILER CONNECTOR (POLLAK)	MUST ORDER TRCK WITH FACTORY RECEIVER	EACH	1	144.20	144.20
MLSBRB-LED	LIGHT ROTATING BEACON STROBE LED ECCO 7965		EACH	2	433.30	866.60
FREIGHT	Freight		EACH	1	125.00	125.00
FUEL CHARGE	FUEL CHARGE		EACH	1	75.00	75.00
MBCK-UP-FD-872D	AFTERMARKET BACK UP CAMERA INSTALLED ON PICKUP BED DELETE WITH CAMERA FUNCTION ENABLED (MBCK-UP- FD-872D)		EACH	1	209.30	209.30
MPDI	PDI FOR NEW VEHICLE		EACH	1	225.00	225.00

P.O.#		Total:	8,394.50
Authorized Signature Dealer VIN/VON	Date	Total Salles Tax	0.00
Amount Exempt from Sales Tax	8,394.50	Invoice Discount:	0.00
Amount Subject to Sales Tax	0	Subtotal:	8,394.50

Vehicle Configuration Options

ENGINE	
Code	Description
99T	ENGINE: 6.7L 4V OHV POWER STROKE V8 TURBO DIESEL B20, -inc: manual push-button engine-exhaust braking and intelligent oil-life monitor, 48 Gallon Fuel Tank, 175 Amp Heavy Duty Alternator, 3.31 Axle Ratio, Dual 78-AH 750 CCA Batteries
TRANSM	IISSION
Code	Description
44W	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC, -inc: (6R140), SelectShift
WHEELS	
Code	Description
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TIRES	
Code	Description
TD8	TIRES: LT245/75RX17E BSW A/S (4), (STD)
PRIMAR	Y PAINT
Code	Description
Z1	OXFORD WHITE
PAINT S	CHEME
Code	Description
	STANDARD PAINT
SEAT TY	PE
Code	Description
AS	MEDIUM EARTH GRAY, HD VINYL 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
AXLE R	ATIO
Code	Description
X31	3.31 AXLE RATIO
ADDITIO	NAL EQUIPMENT
Code	Description
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trir panel, Accessory Delay, Advanced Security Pack, SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors, Power Locks, Remote Keyless Entry, Manual Telescoping/Folding Trailer Tow Mirrors, power heated glass, heated convex spotter mirror and

40	integrated clearance lights and turn signal indicators, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock
66D	PICKUP BOX DELETE, -inc: Deletes tie-down hooks, tailgate, rearview camera, 7/4 pin connector and center high-mounted stop lamp (CHMSL) (only on vehicles over 10,000 lbs.GVWR), Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer, In addition, Ford urges manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builder's Layout Book (and applicable supplements), Rear Bumper Delete, Spare Wheel, Tire, Carrier & Jack Delete
76C	EXTERIOR BACKUP ALARM (PRE-INSTALLED), -inc: Custom accessory
18B	PLATFORM RUNNING BOARDS
918	AMBER LED WARNING STROBES (PRE-INSTALLED), -inc: center high-mounted stop light bar and 2 hood mounted lights
585	RADIO: AM/FM STEREO/MP3, -inc: 6 speakers, SYNC Communications & Entertainment System, enhanced voice recognition w/911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls
525	STEERING WHEEL-MOUNTED CRUISE CONTROL
872	REAR VIEW CAMERA & PREP KIT, -inc: Pre-installed content includes cab wiring, frame wiring to the rear most cross member and video display w/electronic mirror and 4" display, Upfitters kit includes camera w/mounting bracket, 14' jumper wire and camera mounting and aiming instructions
OPTION	PACKAGE
Code	Description
600A	ORDER CODE 600A

2019 Fleet/Non-Retail Ford Super Duty F-250 SRW XL 2WD Crew Cab 8' Box 176" WB

WINDOW STICKER

2019 Ford Super Duty F-250 SRW XL 2WD Crew Cab 8' Box 176" WB		
CODE	MODEL	MSRP
W2A	2019 Ford Super Duty F-250 SRW XL 2WD Crew Cab 8' Box 176" WB	\$36,945.00
	OPTIONS	
99T	ENGINE: 6.7L 4V OHV POWER STROKE V8 TURBO DIESEL B20, -inc: manual push-button engine- exhaust braking and intelligent oil-life monitor, 48 Gallon Fuel Tank, 175 Amp Heavy Duty Alternator, 3.31 Axle Ratio, Dual 78-AH 750 CCA Batteries	\$9,120.00
44W	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC, -inc: (6R140), SelectShift	\$0.00
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)	\$0.00
TD8	TIRES: LT245/75RX17E BSW A/S (4), (STD)	\$0.00
Z1	OXFORD WHITE	\$0.00
	STANDARD PAINT	\$0.00
AS	MEDIUM EARTH GRAY, HD VINYL 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar	\$0.00
X31	3.31 AXLE RATIO	INC
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door trim panel, Accessory Delay, Advanced Security Pack, SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors, Power Locks, Remote Keyless Entry, Manual Telescoping/Folding Trailer Tow Mirrors, power heated glass, heated convex spotter mirror and integrated clearance lights and turn signal indicators, Power Front & Rear Seat Windows, 1-touch up/down driver/passenger window, Power Tailgate Lock	\$1,125.00
66D	PICKUP BOX DELETE, -inc: Deletes tie-down hooks, tailgate, rearview camera, 7/4 pin connector and center high-mounted stop lamp (CHMSL) (only on vehicles over 10,000 lbs.GVWR), Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer, In addition, Ford urges manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builder's Layout Book (and applicable supplements), Rear Bumper Delete, Spare Wheel, Tire, Carrier & Jack Delete	(\$625.00
76C	EXTERIOR BACKUP ALARM (PRE-INSTALLED), -inc: Custom accessory	\$140.0
18B	PLATFORM RUNNING BOARDS	\$445.0
918	AMBER LED WARNING STROBES (PRE-INSTALLED), -inc: center high-mounted stop light bar and 2 hood mounted lights	\$675.0
585	RADIO: AM/FM STEREO/MP3, -inc: 6 speakers, SYNC Communications & Entertainment System, enhanced voice recognition w/911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls	\$550.0
525	STEERING WHEEL-MOUNTED CRUISE CONTROL	\$235.0
872	REAR VIEW CAMERA & PREP KIT, -inc: Pre-installed content includes cab wiring, frame wiring to the rear most cross member and video display w/electronic mirror and 4* display, Upfitters kit includes camera w/mounting bracket, 14' jumper wire and camera mounting and aiming instructions	\$415.0
		\$0.0

 SUBTOTAL	 \$49,025.00
Advert/ Adjustments	\$0.00
Manufacturer Destination Charge	\$1,595.00
TOTAL PRICE	\$50,620.00
/A MPG ay: N/A MPG ay Cruising Range: N/A mi	

Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel -inc: Flex-Fuel badge on fleet orders only Transmission: TorqShift-G 6-Spd Auto w/SelectShift 3.73 Axle Ratio GVWR: 10,000 lb Payload Package 50-State Emissions System Transmission w/Oil Cooler Rear-Wheel Drive 72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection 157 Amp Alternator Class V Towing Equipment -inc: Hitch and Trailer Sway Control Trailer Wiring Harness 3660lbs. Maximum Payload **HD Shock Absorbers** Front Anti-Roll Bar Firm Suspension Hydraulic Power-Assist Steering Single Stainless Steel Exhaust 48 Gal. Fuel Tank Front Suspension w/Coil Springs Leaf Rear Suspension w/Leaf Springs 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments	
Tires: LT245/75Rx17E BSW A/S (4)	
Regular Box Style	
Steel Spare Wheel	- 11
Full-Size Spare Tire Stored Underbody w/Crankdown	- Contribution History
Clearcoat Paint	
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks	
Black Rear Step Bumper	
Black Side Windows Trim and Black Front Windshield Trim	
Black Door Handles	
Black Manual Side Mirrors w/Manual Folding	
Manual Extendable Trailer Style Mirrors	
Fixed Rear Window	
Light Tinted Glass	

Variable Intermittent Wipers

Aluminum Panels

Black Grille

Front License Plate Bracket

Tailgate Rear Cargo Access

Manual Tailgate/Rear Door Lock

Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off

Cargo Lamp w/High Mount Stop Light

ENTERTAINMENT

Radio: AM/FM Stereo -inc: digital clock and 4 speakers

Fixed Antenna

1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement

4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement

60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer

Manual Rear Windows

Manual Air Conditioning

HVAC -inc: Underseat Ducts

Illuminated Locking Glove Box

Interior Trim -inc: Chrome Interior Accents

Full Cloth Headliner

Urethane Gear Shift Knob

HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar

Day-Night Rearview Mirror

Passenger Visor Vanity Mirror

2 12V DC Power Outlets

Full Overhead Console w/Storage and 2 12V DC Power Outlets

Fade-To-Off Interior Lighting

Front And Rear Map Lights

Full Vinyl/Rubber Floor Covering

Underhood And Pickup Cargo Box Lights

Instrument Panel Bin and Covered Dashboard Storage

Manual 1st Row Windows

Systems Monitor	
Trip Computer	
Outside Temp Gauge	
Analog Display	
Manual Adjustable Front Head Restrain	nts and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) En	gine Immobilizer
Air Filtration	

SAFETY

Electronic Stability C	ontrol (ESC) And Roll Stability Control (RSC)
ABS And Driveline T	raction Control
Side Impact Beams	
Dual Stage Driver Ar	nd Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire	e Pressure Warning
	Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Beltminder w/Audio Mute
Safety Canopy Syste	em Curtain 1st And 2nd Row Airbags
Outboard Front Lap	And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters
Dual Stage Driver Ar	nd Passenger Front Airbags
Back-Up Camera	

VEHICLE # 7 F-550 Flatbed/Stakebed



490 Auto Center Drive, Watsonville, CA 95076
[855] 289-6572 • (855) BUY-NJPA • (831) 480-8497 Fax
Fleet@NationalAutoFleetGroup.com

7/22/2019

Quote ID 10822 R2

Mr. Julio Bello Port of San Diego 1400 Tidelands Avenue National City, CA 91950

Dear Julio Bello,

National Auto Fleet Group is pleased to quote the following equipment(s) for your consideration.

One (1) New/Unused (2020 Ford Super Duty F-550 DRW (F5G) XL 2WD Reg Cab 205"

WB 120" CA with Harbor 16' Stakebed,) and delivered to your specified location, each for

(1) One Unit		
Sourcewell Contract Price	\$	49,480.10
Harbor Quote	\$	13,197.90
Tax (8.75%)	\$	5,484.33
CA Tire Fee	\$	10.50
Total	S	68,172.83

-per your attached specifications:

This vehicle(s) is available under the Sourcewell (Formerly known as NJPA) Contract

Number 120716-NAF. Please reference this Contract Number on all Purchase Orders to

National Auto Fleet Group. Payment terms are Net 20 days after receipt of vehicle.

Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call.

Sincerely

Jesse Cooper

National Fleet Manager

Office (855) 289-6572 / Fax (831) 480-8497



255 Voyager Ave Brea, CA 92821 Phone: 714-996-0411 Fax: 714-996-0695 **Sales Quote**

Page 1 of 1

Sales Quote Sales Quote (Date: Inside Sales Rep.: SQ27137 7/8/2019 Kimberly Bellamy

Sel

NATIONAL AUTO FLEET GROUP DEALER # 71E061 1330 W. MAIN ST. ALHAMBRA, CA. 91801 625-414-2000

Tax Ident. Type Legal Entity

Ship Via

HARBOR 2% 10 Days, Net 30

Location BREA
Territory REGION 1

Ship

To: PORT OF SAN DIEGO
JULIO BELLO 619-405-6652

1330 W. MAIN ST. ALHAMBRA, CA 91801

Customer ID Dealer Number SalesPerson FLW01

JENNIFER

VIN

Harbor Truck Bodies is Not Held Responsible for any items not listed on this order/quote. Pricing on quote is valid 30 days from sales quote date.

Item No.	Description	Exp. Notes	Unit	Qty.	Unit Price	Net Price
FORD-084-R-DRW-DSL	FORD 84" CA REGULAR CAB DRW DIESEL-		EACH	1		
HTF814496D	12 x 8-FT Flatbed with Diamond Plate Deck		EACH	1	3,642,80	3,642.80
нтғвнв-5	BULKHEAD 40"H X 8"W STRAIGHT FOR STEEL TOP		EACH	1	313 12.33	3,0100
UB601818	UNDERBED BOX 60°L X 18°H X 18°D RECESSED FOR HOOK ACCESS		EACH	2	499.10	998.20
Y12FBWHITE-FORD	Paint Body White		EACH	1	156.80	156.80
FBG144-40	12X8 FLATBED SET OF WOOD GATES 40" H (5 SLAT)		EACH	1	981.40	981.40
MBCK-UP-CAM-LB1	REAR BACKUP CAMERA INSTALL LABOR-1 ONLY (MBCK-UP-CAM-LB1)		EACH	1	112.00	112.00
MPDI	PDI FOR NEW VEHICLE		EACH	1	225.00	225.00
SEO_1	TOMMYGATE 89-20 EASS W/ CART STOP		EACH	1	6.881.70	6,881.70
FREIGHT	Freight		EACH	1	125.00	125.00
FUEL CHARGE	FUEL CHARGE		EACH	1	75.00	75.00

Amount Subject to Sales Tax	0		
Amount Exempt from Sales Tax	13,197.90		
Authorized Signature		Date	
Dealer VIN/VON		100	
90.			

Subtotal:	13,197.90	
Invoice Discount:	0.00	
Total Sales Tax	0.00	
Total:	13,197,90	

Vehicle Configuration Options

ENGINE	
Code	Description
99T	ENGINE: 6.7L 4V OHV POWER STROKE V8 TURBO DIESEL B20, -inc: Diesel Exhaust Fluid (DEF) tank, Intelligent Oil-Life Monitor, manual push-button engine-exhaust braking and split-shaft calibration compatibility, 220 Amp Extra Heavy Duty Alternator, 4.10 Axle Ratio, Dual 78-AH 750 CCA Batteries
TRANSM	MISSION
Code	Description
44W	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC, -inc: (6R140), SelectShift
TIRES	
Code	Description
TGJ	TIRES: 225/70RX19.5G BSW A/P, -inc: Optional spare is 225/70Rx19.5G BSW A/P (STD)
PRIMAR	Y PAINT
Code	Description
Z1	OXFORD WHITE
PAINT S	Description
	STANDARD PAINT
SEAT TY	PE
Code	Description
AS	MEDIUM EARTH GRAY, HD VINYL 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar
AXLE R	ATIO
Code	Description
X41	4.10 AXLE RATIO
ADDITIO	NAL EQUIPMENT
Code	Description
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger side lock cylinder, upgraded door-trimpanel, Accessory Delay, Advanced Security Pack, SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors, MyKey, owner controls feature, Power Locks, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Power Front Side Windows, 1-touclup/down driver/passenger window
76C	EXTERIOR BACKUP ALARM (PRE-INSTALLED), -inc: Custom accessory

585	RADIO: AM/FM STEREO/MP3, -inc: 4 speakers, SYNC Communications & Entertainment System, enhanced voice recognition w/911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls		
872	REAR VIEW CAMERA & PREP KIT, -inc: cab wiring		
OPTION	PACKAGE		
Code	Description		
660A	ORDER CODE 660A		

2019 Fleet/Non-Retail Ford Super Duty F-550 DRW XL 2WD Reg Cab 205" WB 120" CA

WINDOW STICKER

2019 Ford	Super Duty F-550 DRW XL 2WD Reg Cab 205" WB 120" CA	
CODE	MODEL	MSRF
F5G	2019 Ford Super Duty F-550 DRW XL 2WD Reg Cab 205" WB 120" CA	\$39,660.00
	OPTIONS	
99T	ENGINE: 6.7L 4V OHV POWER STROKE V8 TURBO DIESEL B20, -inc: Diesel Exhaust Fluid (DEF) tank, Intelligent Oil-Life Monitor, manual push-button engine-exhaust braking and spliit-shaft calibration compatibility, 220 Amp Extra Heavy Duty Alternator, 4.10 Axle Ratio, Dual 78-AH 750 CCA Batteries	\$9,010.0
44W	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC, -inc: (6R140), SelectShift	\$0.0
TGJ	TIRES: 225/70RX19.5G BSW A/P, -inc: Optional spare is 225/70Rx19.5G BSW A/P (STD)	\$0.0
Z1	OXFORD WHITE	\$0.00
	STANDARD PAINT	\$0.00
AS	MEDIUM EARTH GRAY, HD VINYL 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder, storage and driver's side manual lumbar	\$0.00
X41	4.10 AXLE RATIO	INC
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger side lock cylinder, upgraded door-trim panel, Accessory Delay, Advanced Security Pack, SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors, MyKey, owner controls feature, Power Locks, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Power Front Side Windows, 1-touch up/down driver/passenger window	\$915.00
76C	EXTERIOR BACKUP ALARM (PRE-INSTALLED), -inc: Custom accessory	\$140.0
18B	PLATFORM RUNNING BOARDS	\$320.0
585	RADIO: AM/FM STEREO/MP3, -inc: 4 speakers, SYNC Communications & Entertainment System, enhanced voice recognition w/911 Assist, 4.2° LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls	\$550.00
872	REAR VIEW CAMERA & PREP KIT, -inc: cab wiring	\$415.00
660A	ORDER CODE 660A	\$0.00
Please no	te selected options override standard equipment	
	SUBTOTAL	\$51,010.00
	Advert/ Adjustments	\$0.00
	Manufacturer Destination Charge	\$1,595.0
	TOTAL PRICE	\$52,605.0
CONTRACTOR OF THE PARTY OF THE	N/A MPG vay: N/A MPG vay Cruising Range: N/A mi	

Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

Standard Equipment

MECHANICAL

Transmission: TorqShift 6-Speed Automatic (6R140) -inc: SelectShift

4.88 Axle Ratio

GVWR: 18,000 lbs Payload Package

Engine: 6.8L 3-Valve SOHC EFI NA V10

50-State Emissions System

Transmission w/Oil Cooler

Rear-Wheel Drive

78-Amp/Hr 750CCA Maintenance-Free Battery w/Run Down Protection

HD 240 Amp Alternator

Towing Equipment -inc: Trailer Sway Control

Trailer Wiring Harness

11050lbs. Maximum Payload

HD Shock Absorbers

Front And Rear Anti-Roll Bars

Firm Suspension

Hydraulic Power-Assist Steering

40 Gal. Fuel Tank

Single Stainless Steel Exhaust

Dual Rear Wheels

Front Suspension w/Coil Springs

Leaf Rear Suspension w/Leaf Springs

4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Brake Assist

Upfitter Switches

EXTERIOR

Wheels: 19.5" Argent Painted Steel

Tires: 225/70Rx19.5G BSW A/P -inc: Optional spare is 225/70Rx19.5G BSW A/P

Clearcoat Paint

Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks

Black Fender Flares

Black Side Windows Trim and Black Front Windshield Trim

Black Door Handles

Black Manual Side Mirrors w/Manual Folding

Manual Extendable Trailer Style Mirrors

Fixed Rear Window

Light Tinted Glass

Variable Intermittent Wipers

Aluminum Panels

Front Splash Guards

Black Grille

Front License Plate Bracket

Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off

Cab Clearance Lights

ENTERTAINMENT

Radio: AM/FM Stereo -inc: 4 speakers

Radio w/Seek-Scan

Fixed Antenna

1 LCD Monitor In The Front

INTERIOR

4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement

4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission

Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer

Manual Air Conditioning

Illuminated Locking Glove Box

Interior Trim -inc: Chrome Interior Accents

Full Cloth Headliner

Urethane Gear Shift Knob

HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar

Day-Night Rearview Mirror

Passenger Visor Vanity Mirror

2 12V DC Power Outlets

Front Map Lights

Fade-To-Off Interior Lighting

Full Vinyl/Rubber Floor Covering

Underhood Lights

Instrument Panel Bin and Covered Dashboard Storage

Manual 1st Row Windows

Systems Monitor

Trip Computer

Outside Temp Gauge

Analog Display

Manual Adjustable Front Head Restraints

Air Filtration

SAFETY

Driveline Traction Control

Side Impact Beams

Dual Stage Driver And Passenger Seat-Mounted Side Airbags

Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch

Safety Canopy System Curtain 1st Row Airbags

Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters

VEHICLES #8 & 9 Mid Size SUV



National Auto Fleet Group

490 Auto Center Drive, Watsonville, CA 95076 [855] 289-6572 · [831] 480-8497 Fax Fleet@NationalAutoFleetGroup.com

6/6/2019 6/6/2019 Re-Configured

Quote ID: 10636 R1

Order Cut Off Date: TBA

Mr Julio Bello Port of San Diego

1400 Tidelands Ave

National City, California, 91950

Dear Julio Bello,

National Auto Fleet Group is pleased to quote the following vehicle(s) for your consideration.

Two (2) New/Unused (2020 Ford Explorer (K7B) Base FWD,) and delivered to your specified location, each for

	One Unit	Extended Unit's (2)
Contract Price	\$31,515.48	\$63,030.96
4 additional key(s)	\$800.00	\$1,600.00
Tax (8.7500 %)	\$2,827.60	\$5,655.20
Tire fee	\$8.75	\$17.50
Total	\$35,151.83	\$70,303.66

⁻ per the attached specifications.

This vehicle(s) is available under the Sourcewell (Formerly Known as NJPA) Contract 120716-NAF. Please reference this Contract number on all purchase orders to National Auto Fleet Group. Payment terms are Net 20 days after receipt of vehicle.

Quoting Department

Account Manager

Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call.

Sincerely,

CHEVROLET

Jesse Cooper Account Manager

Email: Fleet@NationalAutoFleetGroup.com

Office: (855) 289-6572 Fax: (831) 480-8497



Fleet@NationalAutoFleetGroup.com (855) 289-6572





Vehicle Configuration Options

ENGINE	
Code	Description
99H	ENGINE: 2.3L ECOBOOST I-4, -inc: auto start-stop technology (STD)
TRANSM	
Code	Description
44T	TRANSMISSION: 10-SPEED AUTOMATIC W/SELECTSHIFT, -inc: active transmission warm- up (ATWU) (STD)
PRIMAR	YPAINT
Code	Description
YZ	OXFORD WHITE
PAINT S	CHEME
Code	Description
	STANDARD PAINT
SEAT TY	PE
Code	Description
7N	SANDSTONE, CLOTH CAPTAIN'S CHAIRS, -inc: 8-way power driver's seat w/power recline, 4-way manual front passenger seat w/fore/aft, recline and 4-way manually adjustable driver and front passenger head restraints
OPTION	PACKAGE
Code	Description
100A	EQUIPMENT GROUP 100A
ADDITIO	NAL EQUIPMENT
Code	Description
153	FRONT LICENSE PLATE BRACKET
942	DAYTIME RUNNING LAMPS (DRL) (NON-CONFIGURABLE)

2020 Fleet/Non-Retail Ford Explorer Base FWD

WINDOW STICKER

2020 Ford	d Explorer Base FWD	
CODE	MODEL	MSRP
к7В	2020 Ford Explorer Base FWD	\$32,765.00
	OPTIONS	
99H	ENGINE: 2.3L ECOBOOST I-4, -inc: auto start-stop technology (STD)	\$0.00
44T	TRANSMISSION: 10-SPEED AUTOMATIC W/SELECTSHIFT, -inc: active transmission warm-up (ATWU) (STD)	\$0.00
YZ	OXFORD WHITE	\$0.00
	STANDARD PAINT	\$0.00
7N	SANDSTONE, CLOTH CAPTAIN'S CHAIRS, -inc: 8-way power driver's seat w/power recline, 4-way manual front passenger seat w/fore/aft, recline and 4-way manually adjustable driver and front passenger head restraints	\$0.00
100A	EQUIPMENT GROUP 100A	\$0.00
153	FRONT LICENSE PLATE BRACKET	\$0.00
942	DAYTIME RUNNING LAMPS (DRL) (NON-CONFIGURABLE)	\$45.00
Please no	ote selected options override standard equipment	
	SUBTOTAL	\$32,810.00
	Advert/ Adjustments	\$0.0
	Manufacturer Destination Charge	\$1,095.0
	TOTAL PRICE	\$33,905.0
	N/A MPG way: N/A MPG	
	way Cruising Range: N/A mi	

Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

Standard Equipment

MECHANICAL

Engine: 2.3L EcoBoost I-4 -inc: auto start-stop technology

Transmission: 10-Speed Automatic w/SelectShift -inc: active transmission warm-up (ATWU)

3.58 Non-Limited-Slip Rear Axle Ratio

GVWR: TBD

50 State Emissions System Flexible Fuel Vehicle (FFV) system is standard equipment for vehicles with the 3.3L Ti-VCT V6 engine.

Transmission w/Driver Selectable Mode

Rear-Wheel Drive

Engine Oil Cooler

Battery w/Run Down Protection

Towing Equipment -inc: Trailer Sway Control

Gas-Pressurized Shock Absorbers

Front And Rear Anti-Roll Bars

Electric Power-Assist Speed-Sensing Steering

19.2 Gal. Fuel Tank

Quasi-Dual Stainless Steel Exhaust

Strut Front Suspension w/Coil Springs

Multi-Link Rear Suspension w/Coil Springs

4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake

EXTERIOR

Wheels: 18" Painted Aluminum

Tires: P255/65R18 AS BSW -inc: mini spare

Steel Spare Wheel

Spare Tire Mounted Inside Under Cargo

Clearcoat Paint

Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent

Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent

Black Bodyside Cladding and Black Wheel Well Trim

Black Side Windows Trim and Black Front Windshield Trim

Black Door Handles

Black Power Side Mirrors w/Manual Folding

Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster

Deep Tinted Glass

Speed Sensitive Variable Intermittent Wipers

Galvanized Steel/Aluminum Panels

Lip Spoiler

Black Grille

Power Liftgate Rear Cargo Access

Tailgate/Rear Door Lock Included w/Power Door Locks

Fully Automatic Aero-Composite Led Low/High Beam Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off

LED Brakelights

ENTERTAINMENT

Radio: AM/FM Stereo -inc: MP3 capability, 6 speakers, speed-compensated volume and SiriusXM radio w/a 6 month prepaid subscription, Service is not available in Alaska and Hawaii SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming.

Radio w/Seek-Scan, Clock, Aux Audio Input Jack and Steering Wheel Controls

Streaming Audio

Integrated Roof Antenna

SYNC 3 Communications & Entertainment System -inc: enhanced voice recognition, 8" LCD capacitive touchscreen in center stack w/swipe capability, AppLink, 911 Assist, Apple Car Play and Android Auto compatibility and 1 smart-charging multimedia USB port in the media hub,

Bluetooth Wireless Phone Connectivity

2 LCD Monitors In The Front

INTERIOR

Driver Seat

Passenger Seat

40-20-40 Folding Split-Bench Front Facing Manual Reclining Tumble Forward Cloth Rear Seat w/Manual Fore/Aft

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer

Power Rear Windows and Fixed 3rd Row Windows

Fixed 50-50 Split-Bench Cloth 3rd Row Seat Front, Manual Fold Into Floor and 2 Fixed Head Restraints

Front Cupholder

Rear Cupholder

Compass

Cruise Control w/Steering Wheel Controls

Voice Activated Dual Zone Front Automatic Air Conditioning

Rear HVAC w/Separate Controls

HVAC -inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts

Locking Glove Box

Driver Foot Rest

Interior Trim -inc: Piano Black Instrument Panel Insert, Metal-Look Door Panel Insert, Piano Black Console Insert and Chrome/Metal-Look Interior Accents

Full Cloth Headliner

Cloth Door Trim Insert

Cloth Captain's Chairs -inc: 8-way power driver's seat w/power recline, 4-way manual front passenger seat w/fore/aft, recline and 4-way manually adjustable driver and front passenger head restraints

Day-Night Rearview Mirror

Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination

Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 5 12V DC Power Outlets

Front And Rear Map Lights

Fade-To-Off Interior Lighting

Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats

Carpet Floor Trim

Trunk/Hatch Auto-Latch

Cargo Area Concealed Storage

Cargo Space Lights

FOB Controls -inc: Trunk/Hatch/Tailgate

FordPass Connect -inc: 4G LTE Wi-Fi hotspot connects up to 10 devices (includes a complimentary trial subscription of 3 months or 3 gigabytes, whichever comes first, Wireless service plan required after trial subscription ends, Visit att.com/ford to start complimentary trial and sign up for a wireless service plan), remotely start, lock and unlock vehicle (includes service for 1 year from the vehicle sale date as recorded by the dealer), schedule specific times to remotely start vehicle (includes service for 1 year from the vehicle sale date as recorded by the dealer), locate parked vehicle and check vehicle status (includes service for 1 year from the vehicle sale date as recorded by the dealer), Note: Ford Telematics and data services prep included for fleet only: FordPass Connect 4G Wi-Fi modern provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts, Device enables telematics services through Ford or authorized providers, Activate at www.fleet.ford.com or call 833-FCS-Ford, (833-327-3673)

Driver / Passenger And Rear Door Bins

Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down

Delayed Accessory Power

Power Door Locks w/Autolock Feature

Systems Monitor

Trip Computer

Outside Temp Gauge

Analog Display

Seats w/Cloth Back Material

Manual Adjustable Rear Head Restraints

Front Center Armrest

2 Seatback Storage Pockets

Securilock Anti-Theft Ignition (pats) Engine Immobilizer

5 12V DC Power Outlets

Air Filtration

SAFETY

AdvanceTrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)

ABS And Driveline Traction Control

Side Impact Beams

Dual Stage Driver And Passenger Seat-Mounted Side Airbags

Reverse Sensing System Rear Parking Sensors

Ford Co-Pilot360 - Blind Spot Information System (BLIS) Blind Spot Sensor

Ford Co-Pilot360 - Automatic Emergency Braking (AEB) and Cross-Traffic Alert

Ford Co-Pilot360 - Lane-Keeping Assist Lane Keeping Assist

Ford Co-Pilot360 - Lane-Keeping Assist Lane Departure Warning

Tire Specific Low Tire Pressure Warning

Dual Stage Driver And Passenger Front Airbags

Safety Canopy System Curtain 1st, 2nd And 3rd Row Airbags

Airbag Occupancy Sensor

Driver And Passenger Knee Airbag

Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute

Rear Child Safety Locks

Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

Back-Up Camera w/Washer

ATTACHMENT B

SAN DIEGO UNIFIED PORT DISTRICT VEHICLE AND EQUIPMENT DELIVERY INSTRUCTIONS

Vehicles and equipment will be accepted by scheduled deliveries only. Deliveries may be scheduled by contacting the San Diego Unified Port District's Materiel Support & Management Center at <u>619-686-6337</u> between the hours of 7:30a.m. and 3:30 p.m. a minimum of 48 hours before proposed delivery. Monday through Thursday except on Port District Holidays.

A dealer's representative or legal agent must accompany all vehicles or equipment delivered to the San Diego Unified Port District (District). Vehicles or equipment arriving without a dealer's representative or legal agent present will not be accepted nor offloaded on District property. The dealer's representative or legal agent must be in possession of all documents required for the dealer to effect registration of the vehicle or equipment with the Department of Motor Vehicles. The District is an exempt agency identified as an "Other Political Subdivision" for the purposes of DMV registration.

Vehicles or equipment scheduled for delivery must include all equipment, components, modifications, manuals, keys, and other items specified in the specifications provided in this Agreement. A Due Bill may or may not be accepted at the discretion of the District in lieu of an item excluded during delivery.

All vehicles and equipment delivered to the District will be subject to a complete technical inspection by the District's automotive equipment mechanics prior to acceptance. The District fleet equipment manager or appointed representative will conduct an inspection for paint damage and appropriate paint application in conjunction with the technical inspection. The District will use up to ten (10) working days to complete these inspections. The inspections are to ensure compliance with the specifications provided in this Agreement, or to ensure compliance with any prescribed amendments to the original purchase agreement and/or purchase order. If any discrepancies are found, the vendor will be notified and requested to correct the discrepancies. When the vehicle or equipment has met all of the specifications, it will then be accepted and processed for payment.

FORM E CONTRACT ACCEPTANCE AND AWARD



(Top portion of this form will be completed by NJPA if the vendor is awarded a contract. The vendor should complete the vendor authorized signatures as part of the RFP response.)

NJPA Contract #: 081716-NAF

Proposer's full legal name: 72 Hour LLC, dba National Auto Fleet Group

Based on NJPA's evaluation of your proposal, you have been awarded a contract. As an awarded vendor, you agree to provide the products and services contained in your proposal and to meet all of the terms and conditions set forth in this RFP, in any amendments to this RFP, and in any exceptions that are accepted by NJPA.

The effective date of the Contract will be November 15, 2016 and will expire on November 15, 2020 (no later than the later of four years from the expiration date of the currently awarded contract or four years from the date that the NJPA Chief Procurement Officer awards the Contract). This Contract may be extended for a fifth year at NJPA's discretion.

NJPA Authorized Signatures:	
NJPA DIRECTOR OF COOPERATIVE CONTRACTS AND PROCUREMENTERS SIGNATURE	Jeremy Schwartz (NAME PRINTED OR TYPED)
NJPA EXECUTIVE DIRECTOR/CEO SIGNATURE	Chad Coauette (NAME PRINTED OR TYPED)
Awarded on November 15, 2016	NJPA Contract # 081716-NAF
Vendor Authorized Signatures: The Vendor hereby accepts this Contract aways	ard, including all accepted exceptions and amendments,
Vendor Name 72 Hoch LLC DBA	2 National Acto fleet Glock
Authorized Signatory's Title <u>fizer n</u>	14190 ef
VENDOR AUTHORIZED SIGNATURE	Jesse Coopet (NAME PRINTED OR TYPED)



COMMENT AND REVIEW

To the REQUEST FOR PROPOSAL (RFP) #081716 Entitled

CLASS 6, 7, AND 8 CHASSIS WITH RELATED EQUIPMENT, ACCESSORIES, AND SERVICES

The following advertisement was placed in Oregon's *Daily Journal of Commerce* on June 22, 2016, in South Carolina's *The State* on June 21, 2016, in Utah's *The Salt Lake Tribune* on June 21, 2016, in *USA Today* on June 22, 2016, and on the NJPA website www.nipacoop.org, Onvia website www.onvia.com, Notice to Bidders website www.noticetobidders.com, PublicPurchase.com, Merx, and Biddingo:

The National Joint Powers Alliance® (NJPA), on behalf of NJPA and its current and potential member agencies, which includes all governmental, higher education, K-12 education, not-for-profit, tribal government, and all other public agencies located in all fifty states, Canada, and internationally, issues this Request For Proposal (RFP) to result in a national contract solution for the procurement of #081716 CLASS 6, 7, AND 8 CHASSIS WITH RELATED EQUIPMENT, ACCESSORIES, AND SERVICES. Details of this RFP are available beginning June 21, 2016. Details may be obtained by letter of request to Jonathan Yahn, NJPA, 202 12th Street Northeast, P.O. Box 219, Staples, MN 56479, or by e-mail at RFP@njpacoop.org. Proposals will be received until August 17, 2016 at 4:30 p.m. Central Time at the above address and opened August 18, 2016 at 8:00 a.m. Central Time.

RFPs were requested from and distributed to:

(40 D) D (11 D (1 1 1)	
18 Rig Parts dba Dyco Industries	Landmark Trucks, LLC
806 Technologies, Inc.	LDV Inc.
A&K Equipment Co. Inc.	Long Lewis Western Star
Alden Equipment, Inc.	Los Angeles Truck Centers
Allstate Peterbilt Group	Mack Trucks
American Road Machinery	Metal Pless
Autocar, LLC	Metzger Gear Inc.
Birmingham Freightliner, LLC	Mid-Atlantic Truck Centre
Boerner	Modern Enterprise Solutions Inc.
Bonnell Industries Inc.	Multihog
Bortek Industries, Inc.	National Auto Fleet Group
Brattain International Trucks-Portland	Navistar, Inc.
Cobalt Truck Equipment	North American Procurement Council
Construction Journal	PACCAR
Corpus Christi Freightliner	Palmer Trucks Inc.
Craneworks Southwest, Inc.	Peach State
CTE	Peterbilt Motors Company
DECKED	Professional Maintenance
Eastern Lift Truck Co., Inc.	Putnam Radiator
Elliott Equipment Company	Roberto Gonzalez

FL Research	Rush Enterprises
Forerunner Technologies, Inc.	Rush Trucks
Freightliner Trucks	State of Delaware
General Truck Sales & Service Inc.	State of Rhode Island
Goodyear Tire & Rubber Company	Structural Metal Fabricators Inc.
Gulf Coast Truck and Equipment	Sweeten Truck Center, LC
Harbor Truck Sales And Service, Inc. dba	
Baltimore Freightliner	Swenson Spreader LLC
HDA Truck Pride	TEC Equipment
Henderson	The Pete Store
Hiab USA, Inc.	Time Manufacturing Company
Hino Trucks	TMI Truck and Equipment
HIPPO Multipower	Trout River Industries
Hughes Motors, Inc.	U.S. Machinery LLC
Husky Trucks, LLC	Ventech LLC
IMT (Iowa Mold Tooling Co., Inc.)	Veterans Truck Equipment
InterClean Equipment	Volvo Group North America
I-State Truck, Inc.	Wayne Engineering
Kenworth Truck Company, Division of PACCAR, Inc.	

On August 9, 2016, NJPA issued Addendum Two to the Request for Proposal that extended the proposal submission deadline until August 31, 2016 at 4:30 p.m. CT. A copy of Addendum Two was emailed to all who requested the RFP.

Proposals were opened on September 1, 2016 at the NJPA offices located at 202 12th Street Northeast in Staples, Minnesota 56479, from the following:

72 Hour LLC dba National Auto Fleet Group Autocar, LLC
Bayshore Ford Truck Sales, Inc.
Birmingham Freightliner, LLC
Hiab USA Inc.
I-State Truck, Inc.
Kenworth Truck Company
Long Lewis Western Star
Los Angeles Truck Centers
Navistar, Inc
Palmer Trucks, Inc.
Peterbilt Motors Company
RWC International, LTD
Volvo Group North America

Proposals were reviewed by the Proposal Evaluation Committee:

Ginger Line, CPPB, NJPA Senior Contract Procurement Analyst Gregg Meierhofer, CPPO, NJPA Senior Contract Products and Price Analyst Keith Hanson, CPA, NJPA Accounting Manager Jonathan Yahn, JD, NJPA Contracts and Compliance Manager Kim Austin, NJPA Contract Procurement Analyst Chris Robinson, JD, NJPA Lead Analyst

The findings of the Proposal Evaluation Committee are summarized as follows:

The Proposal Evaluation Committee used the established NJPA RFP evaluation criteria and determined that all proposal responses were Level One responsive. Hiab USA Inc., was determined to be Level Two non-responsive because all equipment encompassed by the Hiab USA Inc. response falls outside of the defined scope of the Request for Proposal. All other proposal responses met Level-Two responsiveness and were evaluated.

Autocar, LLC offers custom-engineered, American manufactured Class 7 and 8 cabover chassis with a wide array of options. They have a strong network of service dealers in North America, with an adequate number of sales locations. Autocar, LLC's pricing proposal is clear, concise, and represents a significant discount off of MSRP pricing.

Kenworth Truck Company offers durable truck chassis in Classes 6, 7 and 8, with an impressive dealer network across North America. Kenworth Truck Company's chassis are available with many technological advances for safety, fuel economy, and repair diagnostics. Replacement parts and maintenance items are available with an exceptional parts fill rate. Kenworth Truck Company's offered pricing is well-articulated and provides a range of substantial discounts off of MSRP pricing to NJPA members.

72 Hour, LLC, dba National Auto Fleet Group, is a national dealer network representing numerous truck chassis manufacturers with a demonstrated ability to provide exceptional service to NJPA members across North America. National Auto Fleet Group offers a robust website presence that will allow Members access to truck chassis design, pricing, and ordering on a 24 hour a day, 7 day a week basis. Their impressively competitive pricing represents a strong value to NJPA members.

Navistar, Inc., has an impressive network of 328 dealers with 720 locations providing sales, parts and service. Truck chassis options range from medium to severe duty, and offer innovative remote maintenance diagnostics with telematics integration. Navistar's pricing model offers substantial discounts off of MSRP pricing, with a clear description of available specifications and options.

Peterbilt Motors Company includes truck chassis alternatives in Class 6, 7 and 8, with sales through 60 independent dealer groups and 333 dealer locations across North America. Service diagnostics are available at dealer locations on an expedited basis, and remote diagnostics provide real-time data and notifications on a web-based system. The Peterbilt Motors Company parts order fill rates are exceptional and pricing is in the competitive range.

Volvo Group North America offers Class 8 chassis featuring exceptional safety, comfort and environmental innovations. The chassis come equipped with a remote diagnostics system for enhanced serviceability and maintenance. They also offer a variety of warranty and service contract options. Volvo Group North America's dealer network and authorized parts outlets cover all 50 states and 9 provinces and are staffed by over 5,000 service technicians. Payment terms are favorable and pricing represents a considerable discount off of MSRP.

For these reasons, the NJPA Proposal Review Committee recommends award of NJPA Contract #081716 to:

Autocar, LLC 081716-ATC
Kenworth Truck Company 081716-KTC
National Auto Fleet Group 081716-NAF
Navistar, Inc. 081716-NVS

Peterbilt Motors Company Volvo Group North America

081716-PMC 081716-VCE

The preceding recommendations were approved on November 15, 2016.

Ginger Line, CPPB, Senior Contract Procurement Analyst

Gregg Melerhofer, CPPO, Senior Contract Product & Price Analyst

Keith Hanson, CPA, NJPA Accounting Manager

Jonathar Yahn, JD, Contracts and Compliance Manager

Kim Austin, Contract Procurement Analyst

Chris Robinson, JD, Lead Analyst



Form G
Class 6, 7, and 8 Chassis with Related Equipment, Accessories, and Services

Possible Points Conformance to Terms/ Conditions to Include	tocar, LLC	Bayshore Ford Truck Sales, Inc	Birmingham Freightliner, LLC	Hiab USA Inc	I-State Truck, Inc	Kenworth Truck Company	Long Lewis Western Star	Los Angeles Truck Centers	National Auto Fleet Group	Navistar, Inc.	Palmer Trucks, Inc	Peterbilt Motors Company	RWC International, LTD	Volvo Group North America
Conformance to Terms/ Conditions to Include		inc	LLC .			Company	Western Star	Centers	Group	,		Company	LTD	America
Conformance to Terms/ Conditions to Include	38													l i
Conformance to Terms/ Conditions to Include	38													
Conditions to Include	38													
Conditions to Include	38						199							
	38													!
Documentation 50		38	34		36	43	32	34	39	40	40	41	35	43
Pricing 400	306	276	255		285	339	242	269	331	328	306		281	336
Financial, Industry and														
Marketplace Successes 75	58	42	44		45	61	43	47	59	62	52	62	47	61
Bidder's Ability to Sell/														
Service Contract										1				
Nationally 100	83	43	44		45	88	41	44	77	88	49	87	52	88
Bidder's Marketing Plan 50	40	30	30		30	40	27	32	40	41	36	32	37	43
Value Added Attributes 75	59	42	41		44	59	44	41	61	59	52		48	
Warranty Coverages														
and Information 50	43	41	37		39	46	39	37	41	45	41	43	41	45
Selection and Variety of									(Table)					
Products and Services														
Offered 200	156	121	124		132	170	111	127	179	165	127	159	121	151
Total Points 1,000	782	633	610		656	845	579		826	827	702	809	661	
Rank Order	$\bigcirc M$, 6	10	2 (1)		9	1	13			:3	7	Į.	8	2

Ginger Line CPPB NJPA


Jonathan Yahn, JD, NJPA

Rocklil Layar Keith Hanson, CPA, NJPA Chris Robinson, JD, NJPA

(im Austin ALIDA

FORM E

CONTRACT ACCEPTANCE AND AWARD



(Top portion of this form will be completed by NJPA if the vendor is awarded a contract. The vendor should complete the vendor authorized signatures as part of the RFP response.)

NJPA Contract #: 120716-NAF

NJPA Authorized Signatures:

Proposer's full legal name: 72 Hour LLC, dba National Auto Fleet Group

Based on NJPA's evaluation of your proposal, you have been awarded a contract. As an awarded vendor, you agree to provide the products and services contained in your proposal and to meet all of the terms and conditions set forth in this RFP, in any amendments to this RFP, and in any exceptions that are accepted by NJPA.

The effective date of the Contract will be January 17, 2017 and will expire on January 17, 2021 (no later than the later of four years from the expiration date of the currently awarded contract or four years from the date that the NJPA Chief Procurement Officer awards the Contract). This Contract may be extended for a fifth year at NJPA's discretion.

NJPA DIRECTOR OF COOPERATIVE CONTRACTS AND PROCUREMENT/CPO SIGNATURE	Jeremy Schwartz (NAME PRINTED OR TYPED)
NJPA EXECUTIVE DIRECTOR/CEO SIGNATURE Awarded on January 16, 2017	Chad Coauette (NAME PRINTED OR TYPED) NJPA Contract # 120716-NAF
Vendor Authorized Signatures: The Vendor hereby accepts this Contract award, in	ncluding all accepted exceptions and amendments.
Vendor Name $72 + 1001 + 100, Nq$ Authorized Signatory's Title $fleet$	xional Acto fleet black
VENTOR AUTHORIZED SIGNATURE	TESSE COOPET (NAME PRINTED OR TYPED)
Executed on $1-16$, 2017	NJPA Contract # 120716-NAF



COMMENT AND REVIEW

To the REQUEST FOR PROPOSAL (RFP) #120716 Entitled

VEHICLES, CARS, VANS, SUVs, AND LIGHT TRUCKS WITH RELATED EQUIPMENT, ACCESSORIES, AND SERVICES
The following advertisement was placed in Oregon's *Daily Journal of Commerce* on October 21, 2016, in South
Carolina's *The State* on October 21, 2016, in Utah's *The Salt Lake Tribune* on October 21, 2016, in *USA Today* on
October 21, 2016, and on the NJPA website www.nipacoop.org, Onvia website www.onvia.com, Notice to Bidders
website www.noticetobidders.com, PublicPurchase.com, Merx, and Biddingo:

The National Joint Powers Alliance® (NJPA), on behalf of NJPA and its current and potential member agencies, which includes all governmental, higher education, K-12 education, not-for-profit, tribal government, and all other public agencies located in all fifty states, Canada, and internationally, issues this Request For Proposal (RFP) to result in a national contract solution for the procurement of #120716 VEHICLES, CARS, VANS, SUVs, AND LIGHT TRUCKS WITH RELATED EQUIPMENT, ACCESSORIES, AND SERVICES. Details of this RFP are available beginning October 21, 2016. Details may be obtained by letter of request to Jonathan Yahn, NJPA, 202 12th Street Northeast, P.O. Box 219, Staples, MN 56479, or by e-mail at RFP@njpacoop.org. Proposals will be received until December 7, 2016 at 4:30 p.m. Central Time at the above address and opened December 8, 2016 at 8:30 a.m. Central Time.

RFPs were requested from and distributed to:

Academy Ford	Lake Chevrolet
Acme Auto Leasing and stuff	Leonard Aluminum Utility Buildings
Addison Chevrolet Buick GMC Ltd.	Mall Chevrolet
Assured Telematics Inc.	Marathon Brake Systems
Avis-Budget	Mega-Tech
Bommarito Automotive Group	MHC Kenworth
Calmont Leasing Ltd.	Onvia, Inc.
Carbone Auto Group	Pine Tree Ford
Carter Chevrolet Agency	Ranger GM
City and County of San Francisco	Reno Buick GMC Cadillac Isuzu Truck
Coast Truck Centers	Shay Enterprise
Cobalt Truck Equipment	SoundOff Signal
Cruise Car, Inc.	Taylor Chevrolet GMC Buick Cadillac Ltd.
England Ford, Inc.	Titan Chemical Transfer Solutions
Ford	Tony Genco
Hunter Truck Sales	Transpart Inc.
Hyundai Motor America	Vantage Vehicle International, Inc.
IMed Mobility	Weston Nissan

J&J Truck Bodies & Trailers	Winner Ford		
KarFarm	Zenith Sales of Indiana		

Proposals were opened on December 8, 2016 at the NJPA offices located at 202 12th Street Northeast in Staples, Minnesota 56479, from the following:

72 Hour LLC, dba National Auto Fleet Group Plantation Sales Inc. dba Weston Nissan Vantage Vehicle International, Inc. Zenith Sales of Indiana

Proposals were reviewed by the Proposal Evaluation Committee:

Ginger Line, CPPB, NJPA Senior Contract Procurement Analyst Gregg Meierhofer, CPPO, NJPA Senior Contract Products and Price Analyst Keith Hanson, CPA, NJPA Accounting Manager Jonathan Yahn, JD, NJPA Contracts and Compliance Manager Kim Austin, NJPA Contract Procurement Analyst Chris Robinson, JD, NJPA Lead Analyst

The findings of the Proposal Evaluation Committee are summarized as follows:

The Proposal Evaluation Committee used the established NJPA RFP evaluation criteria and determined that all proposal responses met Level-One and Level-Two Responsiveness and were evaluated.

72 Hour LLC, dba National Auto Fleet Group, is a national dealer network representing fifteen car and truck manufacturers. They have a demonstrated ability to provide exceptional service to NJPA members across North America. National Auto Fleet Group offers a robust website presence that will allow Members access to vehicle pricing and ordering on a 24 hour a day, 7 day a week basis. Their pricing is solidly within the competitive range and represents a strong value to NJPA members.

Zenith Sales of Indiana, LLC, is the exclusive dealer for Zenith Motors, a manufacturer of electric passenger, cargo and step vans certified as zero emission vehicles. Their vans are equipped with innovative electric propulsion systems, regenerative braking systems, and telematics technology. Service is provided through a network of contracted regional service centers. Zenith Sales' pricing represents a discount off of the commercial price list and includes additional discounts for multi-vehicle orders.

For these reasons, the NJPA Proposal Review Committee recommends award of NJPA Contract #120716 to

72 Hour LLC, dba National Auto Fleet Group Zenith Sales of Indiana, LLC

120716-NAF 120716-ZEN

The preceding recommendations were approved on January 16, 2017.

Ginger Lin∉, CPPB, Senior Contract Procurement Analyst

Gregg Meierliofer, CPPO, Segior Contract Product & Price Analyst

Keith Hanson, CPA, NJPA Accounting Manager

Jonathan Yahn, JD Contracts and Compliance Manager

Kim Austin, Contract Procurement Analyst

Chris Robinson, JD, Lead Analyst



Form G Vehicles, Cars, Vans, SUVs, and Light Trucks with Related Equipment, Accessoires, and Services

		[a T a a.			
		National Auto Fleet Group	Vantage Vehicle	Weston Nissan	Zenith Sales of Indiana
	Possible Points				
Conformance to Terms/					
Conditions to Include				9	
Documentation	50	42		39	40
Pricing	400	344		295	303
Marketplace Successes	75	64		54	57
Bidder's Ability to Sell/					
Service Contract Nationally	100	85		62	67
Bidder's Marketing Plan	50	44		35	41
Value Added Attributes	75	63		56	64
Warranty Coverages and					
Information	50	41		40	42
Selection and Variety of					
Products and Services					
Offered	200	180		139	138
Total Points	1,000	862		721	751
Rank Order				3	2

Ginger Line, CPPB, NJPA

Gregg Meierhofer, CPPO, NJPA

Chris Robinson, JD, NJPA

Jonathan Yalin, JD, NJPA

Keith Hanson, CPA, NJPA

Kim Austin, NJPA

San Diego Unified Port District Phone: (619) 686-6392

Page 92 of 97 A

Bill To:

San Diego Unified Port District Attn: Finance Dept. P.O. Box 120488 San Diego, CA 92112-0488

Vendor Address

72 HOUR LLC DBA NATIONAL AUTO FLEET GROUP 490 AUTO CENTER DR WATSONVILLE CA 95076

Ship To:

San Diego Unified Port District General Services & Procurement 1400 Tidelands Avenue National City CA 91950-4224

Purchase order

Information

PO Number 4500022712 **Date** 07/22/2019 5308226 Vendor No.

Payment Terms Net due in 30 days

Buyer/Phone Mario Giacobbe / 619-686-6366 Contact/Phone Jesse Cooper / (855) 289-6572

Our reference Req. 44797 Your reference 81716&120716 **Delivery Date** 06/30/2020

Delivery Times M-Th Excluding Holidays 7:00AM to 11:45AM and 12:30PM to 3:30PM Fridays by Appointment Only Contact 619-686-6337

Natio	onal City CA 91950-4224				Page 1 of 6
Item	Material/Description	Quantity	UM	Unit Price	Net Amount
	All terms and conditions shall be per Sourcewell Contracts #081716-N for Lines 1 & 2 and Number 120716-NAF for lines 3-9, to National Auto Fleet Group. Reference National Auto Fleet Group Quotes as noted p line item and attached specifications.	0			
0001	Ten Yard Dump Truck(7336)	1	EA	168,907.33	168,907.33
	Ref. NAFG Quote #8494R1 Dated 7-22-19				
	One (1) New/Unused (2020 Freightliner 108SD Three Axle Chassis w	ith			
	15' Dump Body), provided by Dan Walters with Freighliner:				
	Sourcewell Contract Price \$155,301.00				
	Tax (8.75%)\$ 13,588.83				
	Tire Fee\$ 17.50				
	Total\$168,907.33				
0002	Refuse Mini Packer(7474)	1	EA	175,361.66	175,361.66
	Ref. NAFG Quote #8501R2 Dated 7-22-19				
	One (1) New/Unused (2020 Isuzu NPR Cab Chassis, 25,950 GVWR,				
	White, Power Windows and Door Locks adn Air Conditioning with Ara				
	Equipemtn Co. Loadmaster Elite 8 Yard Body), provided by Ms. Poter	with			
	TEC Equipment:				
	. Sourcewell Contract Price\$67,817.68				
	Arata Quote\$88,165.00				
	Tax (8.75%)\$13,648.48				
	Delivery Charge\$ 5,720.00				
	Tire Fee\$ 10.50				
	Total\$175,361.66				
	, ,,,,				

N	ST	RU	CT	IONS	TO	VEN	IDOR:
---	----	----	----	------	----	-----	-------

SIGNATURE	DATE	





Bill To:

San Diego Unified Port District Attn: Finance Dept. P.O. Box 120488 San Diego, CA 92112-0488

Vendor Address

72 HOUR LLC DBA NATIONAL AUTO FLEET GROUP 490 AUTO CENTER DR WATSONVILLE CA 95076

Ship To:

San Diego Unified Port District General Services & Procurement 1400 Tidelands Avenue National City CA 91950-4224 **Purchase order**

Information

 PO Number
 4500022712

 Date
 07/22/2019

 Vendor No.
 5308226

Payment Terms Net due in 30 days

Buyer/Phone Mario Giacobbe / 619-686-6366 **Contact/Phone** Jesse Cooper / (855) 289-6572

 Our reference
 Req. 44797

 Your reference
 81716&120716

 Delivery Date
 06/30/2020

Delivery Times M-Th Excluding Holidays 7:00AM to 11:45AM and 12:30PM to 3:30PM Fridays by Appointment Only Contact 619-686-6337

Natio	onal City CA 91950-4224		Page 2 of 6		
Item	Material/Description	Quantity	UM	Unit Price	Net Amount
0003	3/4 Ton Crew Cab Pickup(9000)	1 6	ĒΑ	48,159.60	48,159.60
	Ref. NAFG Quote #10635R1 Dated 6-11-19				
	One (1) New/Unused (2020 Ford Super Duty F-250 SRW (W2A) XL 2	WD			
	Crew Cab 6.75' Box 160" WB, Harbor Truck Equipment)and delivered	to			
	customer's location:				
	Sourcewell Contract Price \$40,856.84				
	Harbor Quote\$ 2,219.80				
	6 Additional Keys \$ 1,200.00				
	Tax (8.75%)\$ 3,874.21				
	Tire Fee\$ 8.75				
	Total\$48,159.60				
0004	2/4 Tan Craw Cab Dialy (2004)		_,	40.450.00	40.450.00
0004	3/4 Ton Crew Cab Pickup(9001)	1 E	EA	48,159.60	48,159.60
	Ref. NAFG Quote #10635R1 Dated 6-11-19				
	One (1) New/Unused (2020 Ford Super Duty F-250 SRW (W2A) XL 2	WD			
	Crew Cab 6.75' Box 160" WB, Harbor Truck Equipment)and delivered	to			
	customer's location:				
	Sourcewell Contract Price \$40,856.84				
	Harbor Quote\$ 2,219.80				
	6 Additional Keys \$ 1,200.00				
	Tax (8.75%)\$ 3,874.21				
	Tire Fee\$ 8.75				
	Total\$48,159.60				
0005	Crew Cab Stakebed Truck(9099)	1 E	EΑ	63,958.93	63,958.93

INSTRUCTIONS TO VENDOR	INS	TRU	JCTI	ONS	TO	VEND	OR
------------------------	-----	-----	------	-----	----	-------------	----



Bill To:

San Diego Unified Port District Attn: Finance Dept. P.O. Box 120488 San Diego, CA 92112-0488

Vendor Address

72 HOUR LLC DBA NATIONAL AUTO FLEET GROUP 490 AUTO CENTER DR WATSONVILLE CA 95076

Ship To:

San Diego Unified Port District General Services & Procurement 1400 Tidelands Avenue

Purchase order

Information

 PO Number
 4500022712

 Date
 07/22/2019

 Vendor No.
 5308226

Payment Terms Net due in 30 days

Buyer/Phone Mario Giacobbe / 619-686-6366 **Contact/Phone** Jesse Cooper / (855) 289-6572

 Our reference
 Req. 44797

 Your reference
 81716&120716

 Delivery Date
 06/30/2020

Delivery Times M-Th Excluding Holidays 7:00AM to 11:45AM and 12:30PM to 3:30PM Fridays by Appointment Only Contact 619-686-6337

Natio	onal City CA 91950-4224				
Item	Material/Description	Quantity	UM	Unit Price	Net Amount
0006	Ref. NAFG Quote #10638R1 Dated 6-11-19 One(1) New/Unused (2019 Ford Super Duty F-350 SRW (W3A) XL 2W Crew Cab 8' Box 176" WB, Harbor Stakebed and Liftgate), delivered to customer's location: . Sourcewell Contract Price	1	EA	54,437.36	54,437.36
0007	Sourcewell Contract Price\$40,854.80 Harbor Quote\$8,394.50 4 Additional Keys\$800.00 Tax (8.75%)\$4,379.31 Tire Fee\$8.75 Total\$54,437.36 F-550 Flatbed/Stakebed(7463) Ref. NAFG Quote #10822R2 Dated 7-22-19 One (1) New/Unused (2020 Ford Super Duty F-550 DRW (F2G) XL 2M		EA	68,172.83	68,172.83

NS	TRU	JCTI	ONS	TO	VEND	OR
----	-----	------	-----	----	-------------	----

SIGNATURE	DATE



Bill To:

San Diego Unified Port District Attn: Finance Dept. P.O. Box 120488 San Diego, CA 92112-0488

Vendor Address

72 HOUR LLC DBA NATIONAL AUTO FLEET GROUP 490 AUTO CENTER DR WATSONVILLE CA 95076

Ship To:

San Diego Unified Port District General Services & Procurement 1400 Tidelands Avenue National City CA 91950-4224

Purchase order

Information

 PO Number
 4500022712

 Date
 07/22/2019

 Vendor No.
 5308226

Payment Terms Net due in 30 days

Buyer/Phone Mario Giacobbe / 619-686-6366 **Contact/Phone** Jesse Cooper / (855) 289-6572

 Our reference
 Req. 44797

 Your reference
 81716&120716

 Delivery Date
 06/30/2020

Delivery Times M-Th Excluding Holidays 7:00AM to 11:45AM and 12:30PM to 3:30PM Fridays by Appointment Only Contact 619-686-6337

Ivalic	onal City CA 91950-4224				Page 4 of 6	
Item	Material/Description	Quantity	UM	Unit Price	Net Amount	
	Reg. Cab 205" WB, 120" CA with Harbor 16' Stakebed), and delivered	to				
	customer's location:					
	Sourcewell Contract Price \$49,480.10					
	Harbor Quote\$13,197.90					
	Tax (8.75%)\$ 5,484.33					
	Tire Fee\$ 10.50					
	Total\$68,172.83					
0008	Mid Size SUV(7205)	1	EA	35,151.83	35,151.83	
0008	Wild Size 30 V (7203)		EA	35,151.65	35,151.65	
	Ref. NAFG Quote #10636R1 Dated 7-18-19					
	One (1) New/Unused (2020 Ford Explorer (K7B)Base Rear Wheel Driv	re)				
	delivered to customer's location:	<i>-</i> ,,				
	Sourcewell Contract Price\$31,515.48					
	4 Additional Keys\$ 800.00					
	Tax (8.75%)\$ 2,827.60					
	Tire Fee\$ 8.75					
	Total\$35,151.83					
0009	Mid Size SUV(7179)	1	EA	35,151.83	35,151.83	
	Ref. NAFG Quote #10636R1 Dated 7-18-19					
	One (1) New/Unused (2020 Ford Explorer (K7B)Base Rear Wheel Driv	re),				
	delivered to customer's location:					
	Sourcewell Contract Price\$31,515.48					
	4 Additional Keys\$ 800.00					
	Tax (8.75%)\$ 2,827.60					
	Tire Fee\$ 8.75					

NS	TRU	JCTI	ONS	TO	VEND	OR
----	-----	------	-----	----	-------------	----

SIGNATURE	DATE	

San Diego Unified Port District Phone: (619) 686-6392

Page 96 of 97 A

Bill To:

San Diego Unified Port District Attn: Finance Dept. P.O. Box 120488 San Diego, CA 92112-0488

Vendor Address

72 HOUR LLC DBA NATIONAL AUTO FLEET GROUP 490 AUTO CENTER DR WATSONVILLE CA 95076

Ship To:

San Diego Unified Port District General Services & Procurement 1400 Tidelands Avenue National City CA 91950-4224

Purchase order

Information

 PO Number
 4500022712

 Date
 07/22/2019

 Vendor No.
 5308226

Payment Terms Net due in 30 days

Buyer/Phone Mario Giacobbe / 619-686-6366 Contact/Phone Jesse Cooper / (855) 289-6572

 Our reference
 Req. 44797

 Your reference
 81716&120716

 Delivery Date
 06/30/2020

Delivery Times M-Th Excluding Holidays 7:00AM to 11:45AM and 12:30PM to 3:30PM Fridays by Appointment Only Contact 619-686-6337

Natio	onal City CA 91950-4224		Page 5 of 6	
Item	Material/Description	Quantity UM	Unit Price	Net Amount
	Total\$35,151.83			
	A dealer's representative or legal agent must accompany all Vehicles			
	delivered to the San Diego Unified Port District (District)unless prior			
	arrangements have been made. Vehicles arriving without a dealer's			
	representative or legal agent present will not be accepted nor offloade	ed on		
	District property. The dealer's representative or legal agent must be in			
	possession of all documents required for the dealer to effect registration	on of		
	the vehicle with the Department of Motor Vehicles. The District is an			
	exempt agency identified as an "Other Political Subdivision" for the			
	purposes of DMV registration.			
	Vehicles scheduled for delivery must include all equipment, component	nts,		
	modifications, manuals, keys, and other items specified in the bid			
	specifications provided by the District Procurement Department. A Du	e Bill		
	may or may not be accepted at the discretion of the District in lieu of a	nn		
	item excluded during delivery.			
	All Vehicles delivered to the District will be subject to a complete technic	nical		
	inspection by the District's automotive equipment mechanics prior to			
	acceptance. The District fleet equipment manager or his appointed			
	representative will conduct an inspection for paint damage and			
	appropriate paint application in conjunction with the technical inspection	on.		
	The District will use up to ten (10) working days to complete these			
	inspections. The inspections are to ensure compliance with the bid			
	specifications provided by the District Procurement Department at the	time		
	the order is placed, or to ensure compliance with any prescribed			
	amendments to the original purchase order. If any discrepancies are			
	found, the contractor will be notified and requested to correct the			
	discrepancies. When the vehicle or equipment has met all of the			
		1		1

NSTRU	UCTIONS	OT 8	/ENDOR:
-------	---------	------	---------

San Diego Unified Port District Phone: (619) 686-6392

Page 97 of 97 A

Bill To:

San Diego Unified Port District Attn: Finance Dept. P.O. Box 120488 San Diego, CA 92112-0488

Vendor Address

72 HOUR LLC DBA NATIONAL AUTO FLEET GROUP 490 AUTO CENTER DR WATSONVILLE CA 95076

specifications, it will then be accepted and processed for payment.

Ship To:

Item

San Diego Unified Port District General Services & Procurement 1400 Tidelands Avenue National City CA 91950-4224

Material/Description

Purchase order

Information

PO Number 4500022712 **Date** 07/22/2019 5308226 Vendor No.

Payment Terms Net due in 30 days

Buyer/Phone Mario Giacobbe / 619-686-6366 Contact/Phone Jesse Cooper / (855) 289-6572

Our reference Req. 44797 Your reference 81716&120716 **Delivery Date** 06/30/2020

Quantity

Delivery Times M-Th Excluding Holidays 7:00AM to 11:45AM and 12:30PM to 3:30PM Fridays by Appointment Only Contact 619-686-6337

UM

Unit Price

Page 6 of 6

Net Amount

619-686-6338.	Not Value	
	Net Value	697,46
	Total Amount	697,46

INSTRUCTIONS TO VENDOR:

SIGNATURE _ DATE_